

Southern Ute Indian Tribe

Air Quality Division



Title V Operating Permit

**Southern Ute Indian Tribe
Environmental Programs Department
Air Quality Division
71 Mike Frost Way
Ignacio, Colorado 81137**



**AIR POLLUTION CONTROL
TITLE V PERMIT TO OPERATE**

In accordance with the provisions of Title V of the Clean Air Act (42 U.S.C. 7661-7661f) and Part 1, Article II of the Southern Ute Indian Tribe/State of Colorado Environmental Commission's Reservation Air Code (RAC) and applicable rules and regulations,

**SIMCOE, LLC
Tiffany 2 Pad**

is authorized to operate air emission units and to conduct other air pollutant emitting activities in accordance with the conditions listed in this permit.

This source is authorized to operate at the following location:

**Southern Ute Indian Reservation
Section 17, T33N, R6W
La Plata County, Colorado**

Terms not otherwise defined in this permit have the meaning assigned to them in the referenced regulations. All terms and conditions of the permit are enforceable by the Tribe and citizens under the Clean Air Act.

Daniel Powers, Air Quality Division Head
Environmental Programs Department
Southern Ute Indian Tribe

**AIR POLLUTION CONTROL
TITLE V PERMIT TO OPERATE
SIMCOE, LLC
Tiffany 2 Pad**

SUIT Account Identification Code: 2-042
Permit Number: V-SUIT-0060-2024.00
[Replaces Permit No.: N/A]

Issue Date: XXXX
Revised Date: XXXX
Expiration Date: XXXX

The SUIT account identification code and permit number cited above should be referenced in future correspondence regarding this facility.

Permit Issuance History

DATE	TYPE OF ACTION	DESCRIPTION OF ACTION	PERMIT NUMBER
October 4, 2017	Registration	Completed 1 st Part 1 Registration Requirements (40 CFR 49.101 - 49.105)	# SU-000461
December 14, 2017	Startup	Commenced Operation	# SU-000461
February 8, 2018	Registration	Completed 1 st Part 2 Registration Requirements (40 CFR 49.101 - 49.105)	# SU-000461
April 4, 2022	Registration	Completed 2 nd Part 1 Registration Requirements (40 CFR 49.101 - 49.105)	# SU-000461
August 11, 2022	Registration	Completed 2 nd Part 2 Registration Requirements (40 CFR 49.101 - 49.105)	# SU-000461
July 8, 2023	Registration	Completed 3 rd Part 1 Registration Requirements (40 CFR 49.101 - 49.105)	# SU-000461
August 1, 2023	Startup	Commenced Operation as Title V Source	# SU-000461
January 2024	Registration	Completed 3 rd Part 2 Registration Requirements (40 CFR 49.101 - 49.105)	# SU-000461
July 25, 2024	Application	Submitted Initial Part 70 Permit Application	N/A
XXXX	Permit Issued	Initial Part 70 Permit Issued	# V-SUIT-0060-2024.00

Table of Contents

Abbreviations and Acronyms	3
Section I – Source Information and Emission Unit Identification.....	6
1. <i>Source Information</i>	<i>6</i>
2. <i>Source Emission Points</i>	<i>7</i>
Section II – General Requirements.....	8
1. <i>Title V Administrative Requirements</i>	<i>8</i>
1.1. Annual Fee Payment [RAC 2-110(1)(h) and RAC 2-118]	8
1.2. Compliance Requirements.....	10
1.3. Duty to Provide and Supplement Information [RAC 2-110(7)(e), 2-106(5), and 2-124]	12
1.4. Submissions [RAC 2-105]	12
1.5. Severability Clause [RAC 1-106 and RAC 2-110(1)(f)]	13
1.6. Permit Actions [RAC 2-110(3)]	13
1.7. Administrative Permit Revision [RAC 2-111(2)]	13
1.8. Minor Permit Revisions [RAC 2-111(3)]	14
1.9. Significant Permit Revisions [RAC 2-111(4)]	15
1.10. Permit Reopenings, Revocations and Reissuances, and Terminations [RAC 2-112]	15
1.11. Property Rights [RAC 2-110(3)(e)]	16
1.12. Inspection and Entry [RAC 2-110(9)(b)]	16
1.13. <i>[Reserved]</i>	<i>17</i>
1.14. Permit Transfers [RAC 2-113]	17
1.15. Off-Permit Changes [RAC 2-116(2)]	17
1.16. Permit Expiration and Renewal	18
2. <i>Facility-Wide Requirements.....</i>	<i>19</i>
2.1. General Recordkeeping Requirements [RAC 2-110(6)]	19
2.2. General Reporting Requirements	19
2.3. Alternative Operating Scenarios [RAC 2-110(8)]	21
2.4. Permit Shield [RAC 2-110(10)(c)]	23
2.5. Stratospheric Ozone and Climate Protection [40 CFR Part 82]	23
Section III – Site Specific Permit Terms	23
1. <i>New Source Performance Standards (NSPS) and 40 CFR Part 60.....</i>	<i>23</i>
1.1. 40 CFR Part 60, Subpart JJJJ – Standards of Performance for Stationary Spark Ignition Internal Combustion Engines [40 CFR 60.4230 – 60.4248, RAC 3-102]	23
1.2. 40 CFR Part 60, Subpart OOOOa – Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification or Reconstruction Commenced After September 18, 2015, and On or Before December 6, 2022 [40 CFR 60.5360a - 60.5439a and RAC 3-102]	30
2. <i>National Emission Standards for Hazardous Air Pollutants (NESHAP) and 40 CFR Part 63.....</i>	<i>57</i>
2.1. 40 CFR Part 63, Subpart HH - National Emission Standards for Hazardous Air Pollutants From Oil and Natural Gas Production Facilities [40 CFR 63.760 – 63.779 and RAC 4-103]	57
2.2. 40 CFR Part 63, Subpart ZZZZ – National Emission Standards for Hazardous Air Pollutants for Reciprocating Internal Combustion Engines [40 CFR 63.6580 – 63.6675, RAC 4-103]	57
3. <i>Reserved – Tribal Minor New Source Review</i>	<i>67</i>

3.1	Federal Implementation Plan for Managing Air Emissions from True Minor Sources in Indian Country in the Oil and Natural Gas Production and Natural Gas Processing Segments of the Oil and Natural Gas Sector [40 CFR 49.101 - 49.105] [SU-000461]	67
4.	<i>Reserved – Prevention of Significant Deterioration Requirements</i>	67
5.	<i>Reserved – Consent Decree Requirements</i>	67
6.	<i>Reserved – Compliance Assurance Monitoring (CAM) Requirements</i>	67
7.	<i>Enhanced Monitoring, Recordkeeping, and Reporting</i>	67
Section IV – Appendix		69
1.	<i>Inspection Information</i>	69
1.1.	Driving Directions:	69
1.2.	Global Positioning System (GPS):	69
1.3.	Safety Considerations:	69

Abbreviations and Acronyms

4SLB	Four-Stroke Lean-Burn
4SRB	Four-Stroke Rich-Burn
AFS	Air Facility System database
AQD	Southern Ute Indian Tribe's Air Quality Division
bbf	Barrels
BACT	Best Available Control Technology
CAA	Clean Air Act [42 U.S.C. Section 7401 et seq.]
CAM	Compliance Assurance Monitoring
CEMS	Continuous Emission Monitoring System
CFR	Code of Federal Regulations
CMS	Continuous Monitoring System (includes COMS, CEMS and diluent monitoring)
COMS	Continuous Opacity Monitoring System
CO	Carbon monoxide
CO ₂	Carbon dioxide
dscf	Dry standard cubic foot
dscm	Dry standard cubic meter
EPA	United States Environmental Protection Agency
gal	Gallon
GPM	Gallons per minute
H ₂ S	Hydrogen sulfide
HAP	Hazardous Air Pollutant
hr	Hour
ID	Identification Number
kg	Kilogram
lbs	Pounds
MACT	Maximum Achievable Control Technology
Mg	Megagram
MMBtu	Million British Thermal Units
MMSCFD	Million standard cubic feet per day
mo	Month
NESHAP	National Emission Standards for Hazardous Air Pollutants
NMHC	Non-methane hydrocarbons
NO _x	Nitrogen Oxides
NSPS	New Source Performance Standard
NSR	New Source Review
pH	Negative logarithm of effective hydrogen ion concentration (acidity)
PM	Particulate Matter
PM ₁₀	Particulate matter less than 10 microns in diameter
ppbvd	Parts per billion by volume, dry
ppm	Parts per million
ppmvd	Parts per million by volume, dry
PSD	Prevention of Significant Deterioration
PTE	Potential to Emit
psi	Pounds per square inch
psia	Pounds per square inch absolute
RAC	Southern Ute Indian Tribe/State of Colorado Environmental Commission's Reservation Air Code
RICE	Reciprocating Internal Combustion Engine
RMP	Risk Management Plan
scf	Standard cubic feet
scfm	Standard cubic feet per minute
SI	Spark Ignition
SO ₂	Sulfur Dioxide
SUIT	Southern Ute Indian Tribe
tpy	Ton(s) Per Year
Tribe	Southern Ute Indian Tribe

US EPA
VOC

United States Environmental Protection Agency
Volatile Organic Compounds

Table of Figures

Table 1 - Emission Units.....	7
Table 2 - Insignificant Emission Units	8

Section I – Source Information and Emission Unit Identification

1. Source Information

Owner Name:	SIMCOE, LLC
Facility Name:	Tiffany 2 Pad
Facility Location:	Section 17, T33N, R6W
Latitude:	37.097449 °N
Longitude:	-107.528288 °W
State:	Colorado
County:	La Plata
Responsible Official:	Area Manager, Midstream
SIC Code:	1311
ICIS Identification Number:	080000000806700764
EPA Facility Registry ID:	110071293855
Other Clean Air Act Permits	Federal Implementation Plan: # SU-000461

Process Description:

The Tiffany 2 Pad produces coalbed methane natural gas. The five wells on this pad include Tiffany 2-1, Tiffany 2-2, Tiffany 2-3, Tiffany 2-5, and Tiffany 2-6. Three wells currently utilize artificial lift to optimize production, and the other two wells will be rodged up in the future. The well streams are routed through fired separators to separate natural gas and produced water. The gas is compressed and then sent through a tri-ethylene glycol dehydrator unit to remove entrained water.

These wells do not produce any condensate or natural gas liquids, and the VOC content of the produced gas is less than 0.1 percent by weight. Current production at this facility is about 10 million cubic feet per day with compressor inlet at about 40 pounds per square inch gauge and compressor discharge at about 380 pounds per square inch gauge.

Emission sources at the Tiffany 2 Pad include three natural gas fired compressor engines, four natural gas fired artificial lift engines, one natural gas fired generator engine, five natural gas fired separator heaters, two tri-ethylene glycol dehydrators, two natural gas fired glycol reboilers, chemical storage tanks, three produced water storage tanks, three natural gas fired tank heaters, and fugitive components. The engines constructed at this facility are one 1,215 nameplate-rated horsepower Waukesha L5790GL compressor engine, one 1,480 nameplate-rated horsepower Waukesha L7042GL compressor engine, one 203 nameplate-rated horsepower Caterpillar G3306TA compressor engine, one 72 nameplate-rated horsepower Arrow 330CF generator engine, one 19 nameplate-rated horsepower Arrow C96 artificial lift engine, one 68 nameplate-rated horsepower Arrow VRG 330 artificial lift engine, one 68 nameplate-rated horsepower

Waukesha VRG 330 artificial lift engine, and one 24.5 nameplate-rated horsepower Arrow C101 artificial lift engine.

The Caterpillar compressor engine is a rich burn engine equipped with an air to fuel ratio controller and non-selective catalytic reduction.

2. Source Emission Points

Table 1 - Emission Units

Emission Unit ID	Description				Control Equipment
	Waukesha L5790GL Natural Gas Fired (4SLB SI) Compressor Engine 1,215 Name Plate Rated HP				N/A
C100	Serial No.	C-12105/3	Install Date:	2023	
	Waukesha L7042GL Natural Gas Fired (4SLB SI) Compressor Engine 1,480 Name Plate Rated HP				N/A
C200	Serial No.	401158	Install Date:	2017	
	Caterpillar G3306TA Natural Gas Fired (4SRB SI) Compressor Engine 203 Name Plate Rated HP				NSCR Catalyst w/ AFRC
C300	Serial No.	07Y00232	Install Date:	2024	
	Arrow 330CF Natural Gas Fired (4SRB SI) Generator Engine 72 Name Plate Rated HP				N/A
Gen	Serial No.	3937CF	Install Date:	2021	
	Arrow C96 Natural Gas Fired (4SRB SI) Artificial Lift Engine 19 Name Plate Rated HP				N/A
AL1	Serial No.	LDC096001	Install Date:	2024	
	Arrow VRG 330 Natural Gas Fired (4SRB SI) Artificial Lift Engine 68 Name Plate Rated HP				N/A
AL2	Serial No.	P1819	Install Date:	2018	
	Arrow C101 Natural Gas Fired (4SRB SI) Artificial Lift Engine 24.5 Name Plate Rated HP				N/A
AL5	Serial No.	LCC101002	Install Date:	10/10/2024	
	Arrow C96 Natural Gas Fired (4SRB SI) Artificial Lift Engine 19 Name Plate Rated HP				N/A

AL6	Serial No.	LDC095002	Install Date:	2024	
-----	------------	-----------	---------------	------	--

Table 2 - Insignificant Emission Units

Emission Unit ID	Amount	Description	Size	Units
IEU-1	1	Tri-ethylene Glycol Dehydrator Still Column Vent & Flash Tank Vent	15	MMscf/d
IEU-2	1	Tri-ethylene Glycol Dehydrator Still Column Vent & Flash Tank Vent	15	MMscf/d
IEU-3,4	2	Tri-ethylene Glycol Dehydrator Reboilers	0.5	MMBtu/hr
IEU-5,6,7,8,9	5	Separator Heaters	0.25	MMBtu/hr
IEU-10,11,12	3	Tank Heaters	0.25	MMBtu/hr
IEU-13,14,15	3	Produced Water Tanks	400	bbl
IEU-16,17,18	3	Lube Oil Tanks	500	gal
IEU-19	1	Ethylene Glycol/Water (50/50) Tank	500	gal
IEU-20,21	2	Tri-ethylene Glycol Tank	500	gal
IEU-22,23,24,25	4	Lube Oil Tank	55	gal
IEU-26	N/A	Fugitives	N/A	N/A

Section II – General Requirements

1. Title V Administrative Requirements

1.1. Annual Fee Payment [RAC 2-110(1)(h) and RAC 2-118]

1.1.1. An annual operating permit emission fee shall be paid to the Tribe by the permittee.

[RAC 2-118(2)]

1.1.2. The permittee shall pay the annual permit fee each year no later than April 1st for the preceding calendar year.

[RAC 2-118(2)]

1.1.3. Fee payments shall be remitted in the form of a money order, bank draft, certified check, corporate check, or electronic funds transfer payable to the Southern Ute Indian Tribe and sent or delivered by the United States Postal Service c/o Environmental Programs Department Part 70 Program, P.O. Box 737 MS #84, Ignacio, Colorado 81137; or by common carrier (such as UPS or FedEx) c/o Environmental Programs Department Part 70 Program, 398 Ouray Drive, Ignacio, Colorado 81137.

[RAC 2-118(4)(a)]

1.1.4. The permittee shall send an updated fee calculation worksheet submitted annually by the same deadline as required for fee payment to the address listed in the **Submissions** section of this permit.

[RAC 2-118]

- 1.1.5. The permittee shall submit the initial fee calculation work sheet using the most recent form provided by the Tribe.

[RAC 2-118(2)(c)]

- 1.1.6. Basis for calculating annual fee:

- 1.1.6.1. Subtotal annual fees shall be calculated by multiplying the applicable emission fee set pursuant to RAC §2-119(1) of this code times the total tons of actual emissions for each fee pollutant. In lieu of actual emissions, annual fees may be calculated based on the potential to emit for each fee pollutant. Emissions of any regulated air pollutant that already are included in the fee calculation under a category of regulated pollutant, such as a federally listed hazardous air pollutant that is already accounted for as a VOC or as PM₁₀, shall be counted only once in determining the source's actual emissions.

[RAC 2-119(2)(a)]

- 1.1.6.1.1. "Actual emissions" means the actual rate of emissions in tpy of any fee pollutant (for fee calculation) emitted from a Title V source over the preceding calendar year or any other period determined by the Tribe to be more representative of normal operation and consistent with the fee schedule adopted by the Tribe and approved by the Administrator. Actual emissions shall be calculated using each emissions units actual operating hours, production rates, in-place control equipment, and types of materials processed, stored, or combusted during the preceding calendar year or other period used for this calculation.

[RAC 1-103(2)]

- 1.1.6.1.2. Actual emissions shall be computed using compliance methods required by the permit.

[RAC 2-118(1)(b)]

- 1.1.6.1.3. If actual emissions cannot be determined using the compliance methods in the permit, the permittee shall use other federally recognized procedures.

[RAC 2-118(1)(b)]

- 1.1.6.2. The total annual fee submitted shall be the greater of the applicable minimum fee or the sum of subtotal annual fees for all fee pollutants emitted from the source.

[RAC 2-119(2)(b)]

[Explanatory note: The applicable emission fee amount and applicable minimum fee (if necessary) are revised each calendar year to account for inflation, and they are available from AQD prior to the start of each calendar year.]

1.1.6.3. The permittee shall exclude the following emissions from the calculation of fees:

1.1.6.3.1. The amount of actual emissions of any one fee pollutant that the source emits in excess of 4,000 tpy.

1.1.6.3.2. Any emissions that come from insignificant activities not required in a permit application pursuant to RAC §2-106(4).
[RAC 1-103(2)(c)]

1.1.7. Annual fee calculation worksheets shall be certified as to truth, accuracy, and completeness by a responsible official.
[RAC 2-105 and RAC 2-118(2)(c)]

1.1.8. Failure of the permittee to pay fees by the due date shall subject the permittee to assessment of penalties and interest in accordance with RAC §2-118(6).
[RAC 2-118(6)]

1.1.9. When notified by the Tribe of underpayment of fees, the permittee shall remit full payment within 30 days of receipt of an invoice from the Tribe.
[RAC 2-119(3)(b)]

1.1.10. A permittee who thinks a Tribe assessed fee is in error and who wishes to challenge such fee shall provide a written explanation of the alleged error to the Tribe along with full payment of the assessed fee.
[RAC 2-119(3)(c)]

1.2. Compliance Requirements

1.2.1. Compliance with the Permit

1.2.1.1. The permittee must comply with all conditions of this part 70 permit. Any permit noncompliance with federally enforceable or Commission-only permit conditions constitutes a violation of the RAC and Clean Air Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or revision; or for denial of a permit renewal application.
[RAC 2-110(3)(a)]

1.2.1.2. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.

[RAC 2-110(3)(b)]

- 1.2.1.3. All terms and conditions of this permit which are required under the Clean Air Act or under any of its applicable requirements, including any provisions designed to limit a source's potential to emit, are enforceable by the Administrator and citizens under the Clean Air Act, except terms and conditions the permit specifically designates as not being federally enforceable under the Clean Air Act that are not required under the Clean Air Act or under any of its applicable requirements. Terms and conditions so designated are not subject to the requirements of RAC §§2-108, 2-111, 2-112, other than those contained in this paragraph.

[RAC 2-110(3)(f)]

- 1.2.1.4. This permit, or the filing or approval of a compliance plan, does not relieve any person from civil or criminal liability for failure to comply with the provisions of the RAC and the Clean Air Act, applicable regulations thereunder, and any other applicable law or regulation.

[RAC 2-110(3)(g)]

- 1.2.1.5. For the purpose of submitting compliance certifications in accordance with the Compliance Certifications condition below of this permit, or establishing whether or not a person has violated or is in violation of any requirement of this permit, nothing shall preclude the use, including the exclusive use, of any credible evidence or information, relevant to whether a source would have been in compliance with applicable requirements if the appropriate performance or compliance test or procedure had been performed.

[Section 113(a) and 113(e)(1) of the Act, 40 CFR §§51.212, 52.12, 52.33, 60.11(g), and 61.12]

1.2.2. Compliance Certifications

- 1.2.2.1. The permittee shall submit to the Tribe and the Administrator an annual certification of compliance which shall certify the source's compliance status with all permit terms and conditions and all applicable requirements relevant to the source, including those related to emission limitations, standards, or work practices. The compliance certification shall be certified as to truth, accuracy, and completeness by a responsible official consistent with RAC §2-110(9)(a). The certification of compliance shall be submitted annually by April 1st and shall cover the preceding calendar year in which the certification of compliance is due, except that the first annual certification of compliance will cover the period from the issuance date of this permit through December 31st of the same year.

[RAC 2-110(9)(c)]

1.2.3. Compliance Schedule

1.2.3.1. For applicable requirements with which the source is in compliance, the source will continue to comply with such requirements.

[RAC 2-106(4)(l)(ii)]

1.2.3.2. For applicable requirements that will become effective during the permit term, the source shall meet such requirements on a timely basis.

[RAC 2-106(4)(l)(iii)]

1.3. Duty to Provide and Supplement Information [RAC 2-110(7)(e), 2-106(5), and 2-124]

1.3.1. The permittee shall furnish to the Tribe, within the period specified by the Tribe, any information that the Tribe request in writing to determine whether cause exists for reopening and revising, revoking, and reissuing, or terminating the permit, or to determine compliance with the permit. Upon request, the permittee shall also furnish to the Tribe copies of records that are required to be kept by the permit, including information claimed to be confidential. Information claimed to be confidential must be accompanied by a claim of confidentiality according to the provisions of RAC 2-124.

[RAC 2-110(7)(e) and RAC 2-124]

1.3.2. The permittee, upon becoming aware that any relevant facts were omitted or incorrect information was submitted in the permit application or in a supplemental submittal, shall promptly submit such supplementary facts or corrected information. In addition, a permittee shall provide additional information as necessary to address any requirements that become applicable after the date a complete application is filed, but prior to release of a draft permit.

[RAC 2-106(5)]

1.4. Submissions [RAC 2-105]

1.4.1. Any application, form, report, compliance certification, or other document submitted by the permittee under this permit shall contain a certification by a responsible official of truth, accuracy, and completeness. This certification shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

[Explanatory Note: The Tribe has developed a reporting form "CTAC" for certifying truth, accuracy and completeness of part 70 submissions. The form may be found on the AQD's website (<http://www.southernute-nsn.gov/environmental-programs/air-quality>).]

- 1.4.2. Except where otherwise noted, any documents required to be submitted under this permit, including reports, test data, monitoring data, notifications, compliance certifications, fee calculation worksheets, and applications for renewals and permit modifications shall be submitted:

by email at: airquality@southernute-nsn.gov

or by United States Postal Service:
Part 70 Program
Environmental Programs Department
Air Quality Division
P.O. Box 737 MS #84
Ignacio, Colorado 81137

or by Common Carrier:
Part 70 Program
Environmental Programs Department
Air Quality Division
398 Ouray Drive
Ignacio, CO 81137

1.5. Severability Clause *[RAC 1-106 and RAC 2-110(1)(f)]*

The provisions of this permit are severable, and in the event of any challenge to any portion of this permit, or if any provision is held invalid, the remaining permit conditions shall remain valid and in force.

1.6. Permit Actions *[RAC 2-110(3)]*

- 1.6.1. This permit may be modified, reopened and revised, revoked and reissued, or terminated for cause.

[RAC 2-110(3)(c)]

- 1.6.2. The filing by the permittee of a request for a permit revision, reissuance, or termination, or of a notification of planned changes or anticipated noncompliance shall not stay any permit condition.

[RAC 2-110(3)(d)]

1.7. Administrative Permit Revision *[RAC 2-111(2)]*

- 1.7.1. The permittee may submit an application for an administrative permit revision as defined in RAC §1-103.

[RAC 2-111(2)(a)]

- 1.7.2. The permittee may implement an administrative permit revision immediately upon submittal of the request for the administrative revision.

[RAC 2-111(2)(c)]

[Note to permittee: If the provisions allowing for an administrative permit revision do not apply, please contact the Air Quality Division for a determination of similarity prior to submitting your request for an administrative permit revision.]

1.8. Minor Permit Revisions [RAC 2-111(3)]

1.8.1. The permittee may submit an application for a minor permit revision as defined in RAC §1-103.

1.8.2. An application requesting the use of minor permit revision procedures shall meet the requirements of RAC §2-106(4) and shall include the following:

1.8.2.1. A description of the change, the emissions resulting from the change, and any new applicable requirements that will apply if the change occurs;

1.8.2.2. If changes are requested to the permit language, the permittee's suggested draft permit changes;

1.8.2.3. Certification by a responsible official, consistent with RAC §2-105, that the proposed revision meets the criteria for use of minor permit revision procedures and a request that such procedures be used; and

1.8.2.4. Completed forms for the Tribe to use to notify the Administrator and affected programs as required under RAC §2-108.

1.8.2.5. If the requested permit revision would affect existing compliance plans or schedules, related progress reports, or certification of compliance requirements, and an outline of such effects.

[RAC 2-111(3)(a)]

1.8.3. The permittee shall not submit multiple minor permit revision applications that may conceal a larger revision that would not constitute a minor permit revision.

[RAC 2-111(3)(b)]

1.8.4. The permittee may make the change proposed in its minor permit revision application immediately after it files such application, provided, however, for sources that have previously utilized this provision during the term of the permit and, on two or more occasions have failed to file a complete application, may thereafter make the change only after the application is deemed complete. After the permittee makes the change and until the Tribe takes any of the actions specified in the following subsection, the permittee must comply with both the applicable requirements governing the change and the proposed permit terms and conditions. During this period, the permittee need not comply with the existing permit terms and conditions it seeks to modify. If the permittee fails to comply with its proposed permit terms and conditions during this period, however, the existing permit terms and conditions it seeks to modify may be enforced against it. The filing of a minor permit revision application does not authorize construction or modification of a source under the NSR preconstruction permit program. It is the permittee's responsibility to determine if a preconstruction

permit is required prior to commencing construction, modification, or reconstruction.

[RAC 2-111(3)(e)]

- 1.8.5. The permit shield under RAC §2-110(10) does not extend to minor permit revisions.

[RAC 2-110(10)(d)]

1.9. Significant Permit Revisions [RAC 2-111(4)]

- 1.9.1. The permittee must request the use of significant permit revision procedures as defined in RAC §1-103.

- 1.9.2. Significant permit revisions shall meet all requirements of the RAC for permit issuance and renewal, including those for applications, review by the Administrator and affected programs, and public participation.

[RAC 2-111(4), 2-109, and 2-106(3)]

1.10. Permit Reopenings, Revocations and Reissuances, and Terminations [RAC 2-112]

- 1.10.1. The permit may be reopened and revised for any of the reasons listed in the paragraphs below. Alternatively, the permit may be revoked and reissued for the reasons listed in the paragraphs below:

- 1.10.1.1. Additional requirements under the Clean Air Act become applicable to a major source with a remaining permit term of 3 or more years, provided that the Tribe shall revise such permits to incorporate such additional requirements no later than 18 months after promulgation of such requirements, and no such reopening is required if the effective date of the requirement is later than the permit expiration date unless the original permit or any of its terms or conditions have been extended past the permit expiration date pursuant to RAC §2-104(2)(b)(iii);
- 1.10.1.2. Additional requirements (including excess emissions requirements) become applicable to an affected source under the acid rain program. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit;
- 1.10.1.3. The Tribe or the Administrator determines that the permit contains a material mistake or that inaccurate statements were made in establishing the terms or conditions of the permit; or

- 1.10.1.4. The Tribe or the Administrator determines that the permit must be revised or revoked and reissued to assure compliance with applicable requirements.

1.10.2. The permit may be terminated for any of the reasons listed below:

- 1.10.2.1. The permittee fails to meet the requirements of an approved compliance plan;
- 1.10.2.2. The permittee has been in significant or repetitious noncompliance with the operating permit terms or conditions;
- 1.10.2.3. The permittee has exhibited a history of willful disregard for environmental laws of any tribal or state authority, or of the United States;
- 1.10.2.4. The permittee has knowingly misrepresented a material fact in any application, record, report, plan, or other document filed or required to be maintained under the permit;
- 1.10.2.5. The permittee falsifies, tampers with, or renders inaccurate any monitoring device or method required to be maintained under the permit;
- 1.10.2.6. The permittee fails to pay fees required under RAC §§2-118 and 2-119; or
- 1.10.2.7. The Administrator has found that cause exists to terminate the permit.

1.11. Property Rights [RAC 2-110(3)(e)]

This permit does not convey any property rights of any sort, or any exclusive privilege.

1.12. Inspection and Entry [RAC 2-110(9)(b)]

Upon presentation of credentials and other documents as may be required by law, the permittee shall allow authorized representatives of the Tribe or other authorized representative to perform the following:

- 1.12.1. Enter upon the permittee's premises where a source is located or emissions-related activity is conducted, or where records must be kept under the conditions of the permit;
- 1.12.2. Have access to and copy, at reasonable times, any records that must be kept under the conditions of the permit;

1.12.3. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under the permit; and

1.12.4. As authorized by the Clean Air Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit or applicable requirements.

1.13. *[Reserved]*

1.14. Permit Transfers *[RAC 2-113]*

1.14.1. This permit shall not be transferable, by operation of law or otherwise, from one location to another or from one source to another, except that a permit may be transferred from one location to another in the case of a portable source that has notified the Tribe in advance of the transfer, pursuant to the RAC. A permit for a source may be transferred from one person to another if the Tribe finds that the transferee is capable of operating the source in compliance with the permit. This transfer must be accomplished through an administrative permit revision in accordance with the Administrative Permit Revisions section of this permit.

1.15. Off-Permit Changes *[RAC 2-116(2)]*

1.15.1. The permittee is allowed to make, without a permit revision, certain changes that are not addressed or prohibited by this permit provided that the following requirements are met:

1.15.1.1. Each such change meets all applicable requirements and shall not violate any existing permit term or condition;

1.15.1.2. Such changes are not subject to any requirements under title IV of the Clean Air Act and are not modifications under title I of the Clean Air Act;

1.15.1.3. Such changes are not subject to permit revision procedures under RAC §2-111; and

1.15.1.4. The permittee provides contemporaneous written notice to the Tribe and the Administrator of each such change, except for changes that qualify as insignificant activities. Such notice shall state when the change occurred and shall describe the change, any resulting emissions change, pollutants emitted, and any applicable requirement that would apply as a result of the change.

[RAC 2-116(2)(a)]

1.15.2. The permit shield does not apply to changes made under this provision.

[RAC 2-110(10)(d)]

- 1.15.3. The permittee shall keep a record describing changes made at the source that result in emissions of any regulated air pollutant subject to an applicable requirement, but not otherwise regulated under the permit, and the emissions resulting from those changes.

[RAC 2-116(2)(b)]

- 1.15.4. A copy of each off-permit change notification shall be made available to the Tribe upon request.

[RAC 2-110(6)]

1.16. Permit Expiration and Renewal

[RAC §§2-104(3), 2-106(2)(b), 2-107(7)(a), 2-107(7)(b), 2-110(1)(a), and 2-106(3)]

- 1.16.1. This permit shall expire five years from the issuance date of this permit.

[RAC 2-110(1)(a)]

- 1.16.2. Expiration of this permit terminates the permittee's right to operate unless a timely and complete permit renewal application has been submitted at least 6 months but not more than 18 months prior to the date of expiration of this permit.

[RAC 2-107(7)(b)]

- 1.16.3. If the permittee submits a timely and complete permit application for renewal, consistent with RAC §2-106 but the Tribe has failed to issue or disapprove a renewal permit before the end of the permit term, then the permit shall not expire and all its terms and conditions shall remain in effect until the renewal permit has been issued or disapproved.

[RAC 2-104(2)(b)]

- 1.16.4. The ability to operate under this permit shall cease if (1) the Tribe takes final action to issue the permittee a renewal permit or deny the permittee a permit or (2) the permittee fails to submit by the deadline specified in writing by the Tribe any additional information identified as being needed to process the application.

[RAC 2-104(3)]

- 1.16.5. Renewal of this permit is subject to the same procedures, including those for public participation and affected program and EPA review, as those that apply to initial permit issuance.

[RAC 2-107(7)(a)]

- 1.16.6. The application for renewal shall include the current permit number, description of permit revisions and off permit changes that occurred during the permit term, any applicable requirements that were promulgated and not incorporated into the

permit during the permit term, and other information required by the application form.

[RAC 2-106(4)(e)(ix)]

2. Facility-Wide Requirements

Conditions in this section of the permit apply to all emissions units located at the facility, including any units not specifically listed in Table 1 or Table 2 of the Source Emission Points section of this permit.

[RAC 2-110(1)(d)]

2.1. General Recordkeeping Requirements [RAC 2-110(6)]

The permittee shall comply with the following generally applicable recordkeeping requirements:

- 2.1.1. If the permittee determines that his or her stationary source that emits (or has the potential to emit, without federally recognized controls) one or more hazardous air pollutants is not subject to a relevant standard or other requirement established under 40 CFR part 63, the permittee shall keep a record of the applicability determination, for a period of five years after the determination, or until the source changes its operations to become an affected source, whichever comes first. Each of these records shall be made available to the Tribe upon request. The record of the applicability determination shall include an analysis (or other information) that demonstrates why the permittee believes the source is unaffected (e.g., because the source is an area source).

[40 CFR 63.10(b)(3)]

- 2.1.2. Records shall be kept of off permit changes made, as required by the Off Permit Changes section of this permit.

2.2. General Reporting Requirements

- 2.2.1. The permittee shall submit to the Tribe all reports of any required monitoring under this permit semiannually, by April 1 and October 1 of each year. The report due on April 1 shall cover the July 1 - December 31 reporting period of the previous calendar year. The report due on October 1 shall cover the January 1 - June 30 reporting period of the current calendar year. All instances of deviations from permit requirements shall be clearly identified in such reports. All required reports shall be certified by a responsible official consistent with the Submissions section of this permit.

[RAC 2-110(7)(a)]

- 2.2.2. “Deviation” means any situation in which an emissions unit fails to meet a permit term or condition. A deviation is not always a violation. A deviation can be determined by observation or through review of data obtained from any testing,

monitoring, or recordkeeping established in accordance with RAC 2-110(5) and (6). For a situation lasting more than 24 hours which constitutes a deviation, each 24 hour period is considered a separate deviation. Included in the meaning of deviation are any of the following:

- 2.2.2.1. A situation where emissions exceed an emission limitation or standard;
- 2.2.2.2. A situation where process or emissions control device parameter values indicate that an emission limitation or standard has not been met; or
- 2.2.2.3. A situation in which observations or data collected demonstrate noncompliance with an emission limitation or standard or any work practice or operating condition required by the permit.
- 2.2.2.4. A situation in which an exceedance or an excursion, as defined in 40 CFR Part 64 occurs.

[RAC 1-103(21)]

2.2.3. The permittee shall promptly report to the Tribe deviations from permit requirements, (including emergencies), including the date, time, duration, and the probable cause of such deviations, the quantity and pollutant type of excess emissions resulting from the deviation, and any preventative, mitigation, or corrective actions or measures taken. Prompt deviation reports shall be submitted to the following email address: airquality@southernute-nsn.gov

2.2.4. “Prompt” is defined as follows:

- 2.2.4.1. Where the underlying applicable requirement contains a definition of “prompt” or otherwise specifies a time frame for reporting deviations, that definition or time frame shall govern.
- 2.2.4.2. Where the underlying applicable requirement fails to address the time frame for reporting deviations, reports of deviations will be submitted based on the following schedule:
 - 2.2.4.2.1. For emissions of a hazardous air pollutant or a toxic air pollutant (as identified in the applicable regulation) that continue for more than an hour in excess of permit requirements, the report must be made by email, telephone, verbal, or facsimile communication by the close of business the next working day, upon discovery of the occurrence, and in writing within 10 working days from the occurrence;
 - 2.2.4.2.2. For emissions of any regulated air pollutant, excluding those listed in RAC §2-110(7)(b)(i), that continue for more than 2 hours in

excess of permit requirements, the report must be made by email, telephone, verbal, or facsimile communication by the close of business the next working day, upon discovery of the occurrence, and in writing within 10 working days from the occurrence;

- 2.2.4.2.3. For all other deviations from permit requirements, the report shall be contained in the report submitted with the semi-annual monitoring report.

[RAC 2-110(7)(b)]

2.3. Alternative Operating Scenarios [RAC 2-110(8)]

- 2.3.1. Replacement of an existing engine or turbine identified in this permit shall be allowed as an off-permit change pursuant to the Off Permit Changes provisions of this permit provided all of the following conditions are met:

- 2.3.1.1. The engine or turbine replacement is not subject to any requirements under Title IV of the Clean Air Act and is not a modification under Title I of the Clean Air Act;
- 2.3.1.2. The replacement engine or turbine is of the same make, model, horsepower rating, and configured to operate in the same manner as the engine or turbine being replaced.
- 2.3.1.3. The replacement engine or turbine meets all applicable requirements identified in this permit that apply to the existing engine or turbine being replaced.
- 2.3.1.4. All applicable requirements that apply to the replacement engine or turbine are already included in the permit. Replacement of an existing engine or turbine identified in this permit with a new, modified, or reconstructed engine must utilize a Minor Permit Revision as specified in RAC 2-111(3) or a Significant Permit Revision as specified in RAC 2-111(4) to incorporate any new applicable requirements. The applicable requirements include, but may not be limited to:
 - 2.3.1.4.1. Standards of Performance for Stationary Compression Ignition Internal Combustion at 40 CFR Part 60, Subpart IIII;
 - 2.3.1.4.2. Standards of Performance for Stationary Spark Ignition Internal Combustion Engines at 40 CFR Part 60, Subpart JJJJ;
 - 2.3.1.4.3. National Emission Standard for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines at 40 CFR Part 63, Subpart ZZZZ;

- 2.3.1.4.4. Standards of Performance for Stationary Gas Turbines at 40 CFR Part 60, Subpart GG;
 - 2.3.1.4.5. Standards of Performance for Stationary Combustion Turbines at 40 CFR Part 60, Subpart KKKK;
 - 2.3.1.4.6. National Emission Standard for Hazardous Air Pollutants for Stationary Combustion Turbines at 40 CFR Part 63, Subpart YYYY;
 - 2.3.1.4.7. Requirements established in a permit or permits issued pursuant to the Federal Minor New Source Review Program in Indian Country at 40 CFR Part 49;
 - 2.3.1.4.8. Requirements established in a permit or permits issued pursuant to the Prevention of Significant Deterioration of Air Quality Program at 40 CFR Part 52; or
 - 2.3.1.4.9. Requirements established in any promulgated Federal Implementation Plan that may apply to engines located on the Southern Ute Indian Reservation.
- 2.3.2. The permittee shall provide contemporaneous written notice to the Tribe and the Administrator of any replacement of an existing engine or turbine identified in this permit. Such notice shall state when the replacement occurred and shall describe the replacement and any applicable requirement that would apply as a result of the replacement.
- 2.3.3. The permittee shall keep a record of the engine or turbine replacement.
- 2.3.4. The use of a backup thermal oxidizer with equivalent capacity and emission destruction efficiency and configured to operate in the same manner as the primary thermal oxidizer shall be an allowed alternative operating scenario under this permit provided that the following conditions are met:
- 2.3.4.1. Any emission limits, requirements, testing or other provisions that apply to the primary thermal oxidizer shall also apply to the backup thermal oxidizer except that an annual performance test shall only be conducted on the backup thermal oxidizer if the unit operates for more than 500 hours in any calendar year.
 - 2.3.4.2. At no time shall the backup thermal oxidizer operate at the same time the primary thermal oxidizer is operating except periods of transition between the primary and backup thermal oxidizers. Transition events shall be

documented, last no more than 30 minutes in duration, and will be reported as excess emission events.

2.4. Permit Shield *[RAC 2-110(10)(c)]*

Nothing in this permit shall alter or affect the following:

- 2.4.1. The provisions of Section 303 of the Clean Air Act, 42 U.S.C. §7603 concerning emergency powers, including the respective authorities of the Administrator under those sections;
- 2.4.2. The liability of a permittee for any violation of applicable requirements prior to or at the time of permit issuance;
- 2.4.3. The applicable requirements of the acid rain program consistent with section 408(a) of the Act; or
- 2.4.4. The ability of the Administrator respectively to obtain information from a source pursuant to Section 114 of the Clean Air Act, 42 U.S.C. §7414.

2.5. Stratospheric Ozone and Climate Protection *[40 CFR Part 82]*

The permittee shall comply with the standards for recycling and emissions reduction pursuant to 40 CFR Part 82, Subpart F:

- 2.5.1. Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices pursuant to 40 CFR §82.156.
- 2.5.2. Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to 40 CFR §82.158.
- 2.5.3. Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR §82.161.

Section III – Site Specific Permit Terms

1. New Source Performance Standards (NSPS) and 40 CFR Part 60

1.1. 40 CFR Part 60, Subpart JJJJ – Standards of Performance for Stationary Spark Ignition Internal Combustion Engines *[40 CFR 60.4230 – 60.4248, RAC 3-102]*

This facility is subject to the requirements of 40 CFR Part 60, Subpart JJJJ non-emergency stationary spark ignition (SI) internal combustion engines (ICE) with a maximum engine

power less than 25 brake horsepower (HP) manufactured prior to July 1, 2008, and with a maximum engine power greater than 25 brake horsepower (HP) modified after June 12, 2006. Notwithstanding conditions in this permit, the permittee shall comply with all applicable requirements of 40 CFR Part 60, Subpart A and Subpart JJJJ.

1.1.1. Affected Sources

The following emission units are considered affected sources under 40 CFR Part 60, Subpart JJJJ:

C300 – Reconstructed Caterpillar G3306TA (4SRB SI) Compressor Engine, 203 Nameplate Rated HP

AL1 – Arrow C96 (4SRB SI) Artificial Lift Engine, 19 Nameplate Rated HP

AL5 – Arrow C101 (4SRB SI) Artificial Lift Engine, 24.5 Nameplate Rated HP

AL6 – Arrow C96 (4SRB SI) Artificial Lift Engine, 19 Nameplate Rated HP
[40 CFR 60.4230]

1.1.2. Emission Standards for Owners and Operators

- 1.1.2.1. Owners and operators of stationary SI ICE with a maximum engine power less than or equal to 25 HP manufactured on or after July 1, 2008, must comply with the emission standards in §60.4231(a) for their stationary SI ICE
[40 CFR 60.4233(a)]

- 1.1.2.2. Stationary SI internal combustion engine manufacturers must certify their stationary SI ICE with a maximum engine power less than or equal to 25 HP manufactured on or after July 1, 2008, to the certification emission standards and other requirements for new nonroad SI engines in 40 CFR part 1054, as follows:

Engine Displacement	Manufacturing Dates	The engine must meet the following non-handheld emission standards identified in 40 CFR part 1054 and related requirements:
(4) At or above 225 cc	January 1, 2011, or later	Phase 3.

[40 CFR 60.4231(a)]

- 1.1.2.3. Owners and operators of stationary SI natural gas engines that have been modified or reconstructed after June 12, 2006, with a maximum engine power greater than or equal to 130 HP must meet a nitrogen oxides (NO_x) emission standard of 3.0 grams per HP-hour (g/HP-hr), a CO emission standard of 4.0 g/HP-hr (5.0 g/HP-hr for non-emergency engines less than

100 HP), and a volatile organic compounds (VOC) emission standard of 1.0 g/HP-hr, or a NO_x emission standard of 250 ppmvd at 15 percent oxygen (O₂), a CO emission standard 540 ppmvd at 15 percent O₂ (675 ppmvd at 15 percent O₂ for non-emergency engines less than 100 HP), and a VOC emission standard of 86 ppmvd at 15 percent O₂, where the date of manufacture of the engine is:

[40 CFR 60.4233(f)(4)]

- 1.1.2.3.1. Prior to July 1, 2008, for non-emergency engines with a maximum engine power less than 500 HP.

[40 CFR 60.4233(f)(4)(ii)]

- 1.1.2.4. After July 1, 2010, owners and operators may not install stationary SI ICE with a maximum engine power of less than 500 HP that do not meet the applicable requirements in §60.4233.

[40 CFR 60.4236(a)]

1.1.3. Compliance Requirements for Owners and Operators

- 1.1.3.1. If you are an owner or operator of a stationary SI internal combustion engine that is manufactured after July 1, 2008, and must comply with the emission standards specified in §60.4233(a), you must also comply by purchasing an engine certified to the emission standards in §60.4231(a), as applicable, for the same engine class and maximum engine power. In addition, you must meet one of the requirements specified in §60.4243(a)(1) and §60.4243(a)(2).

[40 CFR 60.4243(a)]

- 1.1.3.1.1. If you operate and maintain the certified stationary SI internal combustion engine and control device according to the manufacturer's emission-related written instructions, you must keep records of conducted maintenance to demonstrate compliance, but no performance testing is required if you are an owner or operator. You must also meet the requirements as specified in 40 CFR part 1068, subparts A through D, as they apply to you. If you adjust engine settings according to and consistent with the manufacturer's instructions, your stationary SI internal combustion engine will not be considered out of compliance.

[40 CFR 60.4243(a)(1)]

- 1.1.3.1.2. If you do not operate and maintain the certified stationary SI internal combustion engine and control device according to the manufacturer's emission-related written instructions, your engine

will be considered a non-certified engine, and you must demonstrate compliance according to §60.4243(a)(2)(i).

[40 CFR 60.4243(a)(2)]

- 1.1.3.1.2.1. If you are an owner or operator of a stationary SI internal combustion engine less than 100 HP, you must keep a maintenance plan and records of conducted maintenance to demonstrate compliance and must, to the extent practicable, maintain and operate the engine in a manner consistent with good air pollution control practice for minimizing emissions, but no performance testing is required if you are an owner or operator.

[40 CFR 60.4243(a)(2)(i)]

- 1.1.3.2. If you are an owner or operator of a stationary SI internal combustion engine that must comply with the emission standards specified in §60.4233(f), you must demonstrate compliance according to §60.4243(b)(2)(i), except that if you comply according to §60.4243(b)(2)(i), you demonstrate that your non-certified engine complies with the emission standards specified in §60.4233(f).

[40 CFR 60.4243(c)]

- 1.1.3.2.1. If you are an owner or operator of a stationary SI internal combustion engine greater than 25 HP and less than or equal to 500 HP, you must keep a maintenance plan and records of conducted maintenance and must, to the extent practicable, maintain and operate the engine in a manner consistent with good air pollution control practice for minimizing emissions. In addition, you must conduct an initial performance test to demonstrate compliance.

[40 CFR 60.4243(b)(2)(i)]

- 1.1.3.3. It is expected that air-to-fuel ratio controllers will be used with the operation of three-way catalysts/non-selective catalytic reduction. The AFR controller must be maintained and operated appropriately in order to ensure proper operation of the engine and control device to minimize emissions at all times.

[40 CFR 60.4243(g)]

- 1.1.3.4. If you are an owner or operator of a modified or reconstructed stationary SI internal combustion engine and must comply with the emission standards specified in §60.4233(f), you must demonstrate compliance according to one of the methods specified in §60.4243(i)(1) or (2).

[40 CFR 60.4243(i)]

1.1.3.4.1. Purchasing, or otherwise owning or operating, an engine certified to the emission standards in §60.4233(f), as applicable.
[40 CFR 60.4243(i)(1)]

1.1.3.4.2. Conducting a performance test to demonstrate initial compliance with the emission standards according to the requirements specified in §60.4244. The test must be conducted within 60 days after the engine commences operation after the modification or reconstruction.
[40 CFR 60.4243(i)(2)]

1.1.4. Notifications, Reports, and Records for Owners and Operators

1.1.4.1. Owners and operators of all stationary SI ICE must keep records of the information specified in §60.4245(a)(1) through (4).

1.1.4.1.1. All notifications submitted to comply with this subpart and all documentation supporting any notification.

1.1.4.1.2. Maintenance conducted on the engine.

1.1.4.1.3. If the stationary SI internal combustion engine is a certified engine, documentation from the manufacturer that the engine is certified to meet the emission standards and information as required in 40 CFR parts 1048, 1054, and 1060, as applicable.

1.1.4.1.4. If the stationary SI internal combustion engine is not a certified engine or is a certified engine operating in a non-certified manner and subject (a)(2), documentation that the engine meets the emission standards.

[40 CFR 60.4245(a)(1-4)]

1.1.4.1.5. Owners and operators of stationary SI ICE that are subject to performance testing must submit a copy of each performance test as conducted in §60.4244 within 60 days after the test has been completed. Performance test reports using EPA Method 18, EPA Method 320, or ASTM D6348-03 (incorporated by reference - see 40 CFR 60.17) to measure VOC require reporting of all QA/QC data. For Method 18, report results from sections 8.4 and 11.1.1.4; for Method 320, report results from sections 8.6.2, 9.0, and 13.0; and for ASTM D6348-03 report results of all QA/QC procedures in Annexes 1-7. Beginning on February 26, 2025, performance tests must be reported electronically according to §60.4245(f).

[40 CFR 60.4245(d)]

- 1.1.4.1.6. Beginning on February 26, 2025, within 60 days after the date of completing each performance test, you must submit the results following the procedures specified in §60.4245(g). Data collected using test methods that are supported by the EPA's Electronic Reporting Tool (ERT) as listed on the EPA's ERT website (<https://www.epa.gov/electronic-reporting-air-emissions/electronic-reporting-tool-ert>) at the time of the test must be submitted in a file format generated using the EPA's ERT. Alternatively, you may submit an electronic file consistent with the extensible markup language (XML) schema listed on the EPA's ERT website. Data collected using test methods that are not supported by the EPA's ERT as listed on the EPA's ERT website at the time of the test must be included as an attachment in the ERT or an alternate electronic file.

[40 CFR 60.4245(f)]

- 1.1.4.1.7. You must submit notifications or reports to the EPA via the Compliance and Emissions Data Reporting Interface (CEDRI), which can be accessed through the EPA's Central Data Exchange (CDX) (<https://cdx.epa.gov/>). The EPA will make all the information submitted through CEDRI available to the public without further notice to you. Do not use CEDRI to submit information you claim as CBI. Although we do not expect persons to assert a claim of CBI, if you wish to assert a CBI claim for some of the information in the report or notification, you must submit a complete file in the format specified in this subpart, including information claimed to be CBI, to the EPA following the procedures in §60.4245(g)(1) and (2). Clearly mark the part or all of the information that you claim to be CBI. Information not marked as CBI may be authorized for public release without prior notice. Information marked as CBI will not be disclosed except in accordance with procedures set forth in 40 CFR part 2. All CBI claims must be asserted at the time of submission. Anything submitted using CEDRI cannot later be claimed CBI. Furthermore, under CAA section 114(c), emissions data is not entitled to confidential treatment, and the EPA is required to make emissions data available to the public. Thus, emissions data will not be protected as CBI and will be made publicly available. You must submit the same file submitted to the CBI office with the CBI omitted to the EPA via the EPA's CDX

[40 CFR 60.4245(g)]

- 1.1.4.1.7.1. The preferred method to receive CBI is for it to be transmitted electronically using email attachments, File Transfer Protocol, or other online file sharing services.

Electronic submissions must be transmitted directly to the OAQPS CBI Office at the email address *oaqpscbi@epa.gov*, and as described in §60.4245(g), should include clear CBI markings. ERT files should be flagged to the attention of the Group Leader, Measurement Policy Group; all other files should be flagged to the attention of the Stationary Spark Ignition Internal Combustion Engine Sector Lead. If assistance is needed with submitting large electronic files that exceed the file size limit for email attachments, and if you do not have your own file sharing service, please email *oaqpscbi@epa.gov* to request a file transfer link.
[40 CFR 60.4245(g)(1)]

1.1.4.1.7.2. If you cannot transmit the file electronically, you may send CBI information through the postal service to the following address: OAQPS Document Control Officer (C404-02), OAQPS, U.S. Environmental Protection Agency, 109 T.W. Alexander Drive, P.O. Box 12055, Research Triangle Park, North Carolina 27711. ERT files should be sent to the attention of the Group Leader, Measurement Policy Group, and all other files should be sent to the attention of the Stationary Spark Ignition Internal Combustion Engine Sector Lead. The mailed CBI material should be double wrapped and clearly marked. Any CBI markings should not show through the outer envelope.
[40 CFR 60.4245(g)(2)]

1.1.5. General Provisions

Table 3 to this subpart shows which parts of the General Provisions in §§60.1 through 60.19 apply to you.

Table 3 to Subpart JJJJ of Part 60—Applicability of General Provisions to Subpart JJJJ			
General provisions citation	Subject of citation	Applies to subpart	Explanation
§60.1	General applicability of the General Provisions	Yes	
§60.2	Definitions	Yes	Additional terms defined in §60.4248.
§60.3	Units and abbreviations	Yes	
§60.4	Address	Yes	
§60.5	Determination of construction or modification	Yes	
§60.6	Review of plans	Yes	

§60.7	Notification and Recordkeeping	Yes	Except that §60.7 only applies as specified in §60.4245.
§60.8	Performance tests	Yes	Except that §60.8 only applies to owners and operators who are subject to performance testing in subpart JJJJ.
§60.9	Availability of information	Yes	
§60.10	State Authority	Yes	
§60.11	Compliance with standards and maintenance requirements	Yes	Requirements are specified in subpart JJJJ.
§60.12	Circumvention	Yes	
§60.13	Monitoring requirements	No	
§60.14	Modification	Yes	
§60.15	Reconstruction	Yes	
§60.16	Priority list	Yes	
§60.17	Incorporations by reference	Yes	
§60.18	General control device requirements	No	
§60.19	General notification and reporting requirements	Yes	

[40 CFR 60.4246]

1.2. 40 CFR Part 60, Subpart OOOOa – Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification or Reconstruction Commenced After September 18, 2015, and On or Before December 6, 2022 [40 CFR 60.5360a - 60.5439a and RAC 3-102]

This facility is subject to the requirements of 40 CFR Part 60, Subpart OOOOa for the collection of fugitive emissions components at a well site. Notwithstanding conditions in this permit, the permittee shall comply with all applicable requirements of 40 CFR Part 60, Subpart OOOOa.

1.2.1. Affected Sources

The following emission units are considered affected sources under 40 CFR Part 60, Subpart OOOOa:

The collection of fugitive emission components located at *Tiffany 2 Pad*.

[40 CFR 60.5365a]

1.2.2. General Requirements

- 1.2.2.1. At all times, including periods of startup, shutdown, and malfunction, owners and operators shall maintain and operate any affected facility including associated air pollution control equipment in a manner consistent with good air pollution control practice for minimizing emissions. Determination of whether acceptable operating and maintenance procedures are being used will be based on information

available to the Administrator which may include, but is not limited to, monitoring results, opacity observations, review of operating and maintenance procedures, and inspection of the source. The provisions for exemption from compliance during periods of startup, shutdown and malfunctions provided for in 40 CFR 60.8(c) do not apply to this subpart.
[40 CFR 60.5370a(b)]

1.2.3. Super-Emitter Events

This section applies to super-emitter events. For purposes of this section, a super-emitter event is defined as any emissions event that is located at or near an oil and gas facility (e.g., individual well site, natural gas processing plant or compressor station) and that is detected using remote detection methods and has a quantified emission rate of 100 kg/hr of methane or greater. Upon receiving a notification of a super emitter event issued by the EPA under §60.5371b(c) in subpart OOOOb of this part, owners or operators must take the actions listed in paragraphs §60.5371a(a) and (b) of this section. Within 5 calendar days of receiving a notification from the EPA of a super-emitter event, the owner or operator of an oil and natural gas facility (e.g., a well site, centralized production facility, natural gas processing plant, or compressor station) must initiate a super-emitter event investigation.

1.2.3.1. Identification of super-emitter events.

[40 CFR 60.5371a(a)]

- 1.2.3.1.1. If you do not own or operate an oil and natural gas facility within 50 meters from the latitude and longitude provided in the notification subject to the regulation under this subpart, report this result to the EPA under paragraph §60.5371a(e) of this section. Your super-emitter event investigation is deemed complete under this subpart.

[40 CFR 60.5371a(a)(1)]

- 1.2.3.1.2. If you own or operate an oil and natural gas facility within 50 meters from the latitude and longitude provided in the notification, and there is an affected facility or associated equipment subject to this subpart onsite, you must investigate to determine the source of the super-emitter event in accordance with paragraph §60.5371a(a)(2) of this section, maintain records of your investigation, and report the results in accordance with paragraph §60.5371a(b) of this section.

[40 CFR 60.5371a(a)(2)]

- 1.2.3.1.3. The investigation required by paragraph §60.5371a(a)(2) of this section may include but is not limited to the actions specified below in paragraphs §60.5371a(a)(3)(i) through (iv) of this section.
[40 CFR 60.5371a(a)(3)]
- 1.2.3.1.3.1. Review any maintenance activities or process activities from the affected facilities subject to regulation under this subpart, starting from the date of detection of the super-emitter event as identified in the notification, until the date of investigation, to determine if the activities indicate any potential source(s) of the super-emitter event emissions.
[40 CFR 60.5371a(a)(3)(i)]
- 1.2.3.1.3.2. Review all monitoring data from control devices (e.g., flares) from the affected facilities subject to regulation under this subpart from the initial date of detection of the super-emitter event as identified in the notification, until the date of receiving the notification from the EPA to identify malfunctions of control devices or periods when the control devices were not in compliance with applicable requirements and that indicate a potential source of the super-emitter event emissions.
[40 CFR 60.5371a(a)(3)(ii)]
- 1.2.3.1.3.3. If you conducted a fugitive emissions survey in accordance with § 60.5397a between the initial date of detection of the super-emitter event as identified in the notification and the date the notification from the EPA was received, review the results of the survey to identify any potential source(s) of the super-emitter event emissions.
[40 CFR 60.5371a(a)(3)(iii)]
- 1.2.3.1.3.4. Screen the entire facility with OGI, Method 21 of appendix A-7 to this part, or an alternative test method(s) approved per § 60.5398b(d) of subpart OOOOb of this part, to determine if a super-emitter event is present.
[40 CFR 60.5371a(a)(3)(iv)]
- 1.2.3.2. **Super-emitter event report.** You must submit the results of the super-emitter event investigation conducted under paragraph §60.5371a(a) of this section to the EPA in accordance with paragraph §60.5371a(b)(1) of this section. If the super-emitter event (i.e., emission at 100 kg/hr of methane or more) is ongoing at the time of this initial report, submit the additional information in accordance with paragraph §60.5371a(b)(2) of

this section. You must attest to the information included in the report as specified in paragraph §60.5371a(b)(3) of this section.

[40 CFR 60.5371a(b)]

- 1.2.3.2.1. Within 15 days of receiving a notification from the EPA under § 60.5371b(c), you must submit a report of the super-emitter event investigation conducted under paragraph §60.5371a(a) of this section through the Super-Emitter Program Portal, at www.epa.gov/super-emitter. You must include the applicable information in paragraphs §60.5371a(b)(1)(i) through (viii) of this section in the report. If you have identified a demonstrable error in the notification, the report may include a statement of the demonstrable error.

[40 CFR 60.5371a(b)(1)]

- 1.2.3.2.1.1. Notification Report ID of the super-emitter event notification (which is provided in the EPA notification).

[40 CFR 60.5371a(b)(1)(i)]

- 1.2.3.2.1.2. Identification of whether you are the owner or operator of an oil and natural gas facility within 50 meters from the latitude and longitude provided in the EPA notification. If you do not own or operate an oil and natural gas facility within 50 meters from the latitude and longitude provided in the EPA notification, you are not required to report the information in paragraphs §60.5371a(b)(1)(iii) through (viii) of this section.

[40 CFR 60.5371a(b)(1)(ii)]

- 1.2.3.2.1.3. General identification information for the facility, including facility name, the physical address, applicable ID Number (e.g., EPA ID Number, API Well ID Number), the owner or operator or responsible official (where applicable), and their email address.

[40 CFR 60.5371a(b)(1)(iii)]

- 1.2.3.2.1.4. Identification of whether there is an affected facility or associated equipment subject to regulation under this subpart at this oil and natural gas facility.

[40 CFR 60.5371a(b)(1)(iv)]

- 1.2.3.2.1.5. Indication of whether you were able to identify the source of the super-emitter event. If you indicate you were unable to identify the source of the super-emitter event, you must certify that all applicable investigations specified in

paragraphs §60.5371a(a)(2)(i) through (iv) of this section have been conducted for all affected facilities and associated equipment subject to regulation under this subpart that are at this oil and natural gas facility, and you have determined that these affected facilities and associated equipment are not the source of the super-emitter event. If you indicate that you were not able to identify the source of the super-emitter event, you are not required to report the information in paragraphs §60.5371a(b)(1)(vi) through (viii) of this section.

[40 CFR 60.5371a(b)(1)(v)]

1.2.3.2.1.6. The source(s) of the super-emitter event.

[40 CFR 60.5371a(b)(1)(vi)]

1.2.3.2.1.7. Identification of whether the source of the super-emitter event is an affected facility or associated equipment subject to regulation under of this subpart. If the source of the super-emitter event is an affected facility or associated equipment subject to regulation under this subpart, identify the applicable regulation(s) under this subpart.

[40 CFR 60.5371a(b)(1)(vii)]

1.2.3.2.1.8. Indication of whether the super-emitter event is ongoing at the time of the initial report submittal (i.e., emissions at 100 kg/hr of methane or more).

[40 CFR 60.5371a(b)(1)(viii)]

1.2.3.2.1.8.1. If the super-emitter event is not ongoing at the time of the initial report submittal, provide the actual (or if not known, estimated) date and time the super-emitter event ended.

[40 CFR 60.5371a(b)(1)(viii)(A)]

1.2.3.2.1.8.2. If the super-emitter event is ongoing at the time of the initial report submittal, provide a short narrative of your plan to end the super-emitter event, including the targeted end date for the efforts to be completed and the super-emitter event ended.

[40 CFR 60.5371a(b)(1)(viii)(B)]

1.2.3.2.2. If the super-emitter event is ongoing at the time of the initial report submittal, within 5 business days of the date the super-emitter event ends you must update your initial report through the Super-

Emitter Program Portal, to provide the end date and time of the super-emitter event.

[40 CFR 60.5371a(b)(2)]

- 1.2.3.2.3. You must sign the following attestation when submitting data into the Super-Emitter Program Portal: “I certify that the information provided in this report regarding the specified super-emitter event was prepared under my direction or supervision. I further certify that the investigations were conducted, and this report was prepared pursuant to the requirements of § 60.5371a(a) and (b). Based on my professional knowledge and experience, and inquiry of personnel involved in the assessment, the certification submitted herein is true, accurate, and complete. I am aware that knowingly false statements may be punishable by fine or imprisonment.

[40 CFR 60.5371a(b)(3)]

1.2.4. Fugitive Emission VOC Standards for Collection of Fugitive Emissions Components

For each affected facility under §60.5365a(i), you must reduce GHG (in the form of a limitation on emissions of methane) and VOC emissions by complying with the applicable requirements of §60.5397a(a) through (j).

[40 CFR 60.5397a]

- 1.2.4.1. You must monitor all fugitive emission components, as defined in §60.5430a, in accordance with paragraphs §60.5397a(b) through (g). You must repair all sources of fugitive emissions in accordance with §60.5397a(h). You must keep records in accordance with §60.5397a(i) and report in accordance with §60.5397a(j). For the purposes of this section, fugitive emissions are defined as: Any visible emission from a fugitive emissions component observed using optical gas imaging or an instrument reading of 500 ppm or greater using Method 21 of appendix A-7 to this part.

[40 CFR 60.5397a(a)]

- 1.2.4.2. You must develop an emissions monitoring plan that covers the collection of fugitive emissions components at well sites within each company-defined area in accordance with paragraphs §60.5397a(c) and (d).

[40 CFR 60.5397a(b)]

- 1.2.4.3. Fugitive emissions monitoring plans must include the elements specified in §60.5397a(c)(1) through (8), at a minimum.

[40 CFR 60.5397a(c)]

- 1.2.4.3.1. Frequency for conducting surveys. Surveys must be conducted at least as frequently as required by paragraphs §60.5397a(f) and (g).
[40 CFR 60.5397a(c)(1)]
- 1.2.4.3.2. Technique for determining fugitive emissions (*i.e.*, Method 21 appendix A-7, or optical gas imaging meeting the requirements in Paragraphs §60.5397a(c)(7)(i) through (vii).
[40 CFR 60.5397a(c)(2)]
- 1.2.4.3.3. Manufacturer and model number of fugitive emissions detection equipment to be used.
[40 CFR 60.5397a(c)(3)]
- 1.2.4.3.4. Procedures and timeframes for identifying and repairing fugitive emissions components from which fugitive emissions are detected, including timeframes for fugitive emission components that are unsafe to repair. Your repair schedule must meet the requirements of paragraph §60.5397a(h) at a minimum.
[40 CFR 60.5397a(c)(4)]
- 1.2.4.3.5. Procedures and timeframes for verifying fugitive emission component repairs.
[40 CFR 60.5397a(c)(5)]
- 1.2.4.3.6. Records that will be kept and the length of time records will be kept.
[40 CFR 60.5397a(c)(6)]
- 1.2.4.3.7. If you are using optical gas imaging, your plan must also include the elements specified in paragraphs §60.5397a(c)(7)(i) through (vii).
[40 CFR 60.5397a(c)(7)]
- 1.2.4.3.7.1. Verification that your optical gas imaging equipment meets the specifications of paragraphs §60.5397a(c)(7)(i)(A) and (B). This verification is an initial verification and may either be performed by the facility, by the manufacturer, or by a third party. For the purposes of complying with the fugitive emissions monitoring program with optical gas imaging, a fugitive emission is defined as any visible emissions observed using optical gas imaging.
[40 CFR 60.5397a(c)(7)(i)]
- 1.2.4.3.7.1.1. Your optical gas imaging equipment must be capable of imaging gases in the spectral range for

the compound of highest concentration in the potential fugitive emissions.

[40 CFR 60.5397a(c)(7)(i)(A)]

- 1.2.4.3.7.1.2. Your optical gas imaging equipment must be capable of imaging a gas that is half methane, half propane at a concentration of 10,000 ppm at a flow rate of ≤ 60 g/hr from a quarter inch diameter orifice.
[40 CFR 60.5397a(c)(7)(i)(B)]

- 1.2.4.3.7.2. Procedure for a daily verification check.
[40 CFR 60.5397a(c)(7)(ii)]

- 1.2.4.3.7.3. Procedure for determining the operator's maximum viewing distance from the equipment and how the operator will ensure that this distance is maintained.
[40 CFR 60.5397a(c)(7)(iii)]

- 1.2.4.3.7.4. Procedure for determining maximum wind speed during which monitoring can be performed and how the operator will ensure monitoring occurs only at wind speeds below this threshold.
[40 CFR 60.5397a(c)(7)(iv)]

- 1.2.4.3.7.5. Procedures for conducting surveys, including the items specified in paragraphs §60.5397a(c)(7)(v)(A) through (C).
[40 CFR 60.5397a(c)(7)(v)]

- 1.2.4.3.7.5.1. How the operator will ensure an adequate thermal background is present in order to view potential fugitive emissions.
[40 CFR 60.5397a(c)(7)(v)(A)]

- 1.2.4.3.7.5.2. How the operator will deal with adverse monitoring conditions, such as wind.
[40 CFR 60.5397a(c)(7)(v)(B)]

- 1.2.4.3.7.5.3. How the operator will deal with interferences (e.g., steam).
[40 CFR 60.5397a(c)(7)(v)(C)]

- 1.2.4.3.7.6. Training and experience needed prior to performing surveys.
[40 CFR 60.5397a(c)(7)(vi)]

- 1.2.4.3.7.7. Procedures for calibration and maintenance. At a minimum, procedures must comply with those recommended by the manufacturer.

[40 CFR 60.5397a(c)(7)(vii)]

- 1.2.4.3.8. If you are using Method 21 of appendix A-7 of this part, your plan must also include the elements specified in paragraphs §60.5397a(c)(8)(i) through (iii). For the purposes of complying with the fugitive emissions monitoring program using Method 21 of appendix A-7 of this part a fugitive emission is defined as an instrument reading of 500 ppm or greater.

[40 CFR 60.5397a(c)(8)]

- 1.2.4.3.8.1. **Verification that your monitoring equipment meets the requirements specified in Section 6.0 of Method 21 at 40 CFR part 60, appendix A-7.** For purposes of instrument capability, the fugitive emissions definition shall be 500 ppm or greater methane using a FID-based instrument. If you wish to use an analyzer other than a FID-based instrument, you must develop a site-specific fugitive emission definition that would be equivalent to 500 ppm methane using a FID-based instrument (*e.g.*, 10.6 eV PID with a specified isobutylene concentration as the fugitive emission definition would provide equivalent response to your compound of interest).

[40 CFR 60.5397a(c)(8)(i)]

- 1.2.4.3.8.2. **Procedures for conducting surveys.** At a minimum, the procedures shall ensure that the surveys comply with the relevant sections of Method 21 at 40 CFR part 60, appendix A-7, including Section 8.3.1.

[40 CFR 60.5397a(c)(8)(ii)]

- 1.2.4.3.8.3. **Procedures for calibration.** The instrument must be calibrated before use each day of its use by the procedures specified in Method 21 of appendix A-7 of this part. At a minimum, you must also conduct precision tests at the interval specified in Method 21 of appendix A-7 of this part, Section 8.1.2, and a calibration drift assessment at the end of each monitoring day. The calibration drift assessment must be conducted as specified in paragraph §60.5397(c)(8)(iii)(A). Corrective action for drift assessments is specified in paragraphs §60.5397(c)(8)(iii)(B) and (C).

[40 CFR 60.5397a(c)(8)(iii)]

- 1.2.4.3.8.3.1. Check the instrument using the same calibration gas that was used to calibrate the instrument before use. Follow the procedures specified in Method 21 of appendix A-7 of this part, Section 10.1, except do not adjust the meter readout to correspond to the calibration gas value. If multiple scales are used, record the instrument reading for each scale used. Divide the arithmetic difference of the initial and post-test calibration response by the corresponding calibration gas value for each scale and multiply by 100 to express the calibration drift as a percentage.
[40 CFR 60.5397a(c)(8)(iii)(A)]
- 1.2.4.3.8.3.2. If a calibration drift assessment shows a negative drift of more than 10 percent, then all equipment with instrument readings between the fugitive emission definition multiplied by (100 minus the percent of negative drift/divided by 100) and the fugitive emission definition that was monitored since the last calibration must be re-monitored.
[40 CFR 60.5397a(c)(8)(iii)(B)]
- 1.2.4.3.8.3.3. If any calibration drift assessment shows a positive drift of more than 10 percent from the initial calibration value, then, at the owner/operator's discretion, all equipment with instrument readings above the fugitive emission definition and below the fugitive emission definition multiplied by (100 plus the percent of positive drift/divided by 100) monitored since the last calibration may be re-monitored.
[40 CFR 60.5397a(c)(8)(iii)(C)]
- 1.2.4.4. Each fugitive emissions monitoring plan must include the elements specified in paragraphs §60.5397a(d)(1) through (3), at a minimum, as applicable.
[40 CFR 60.5397a(d)]
- 1.2.4.4.1. If you are using optical gas imaging, your plan must include procedures to ensure that all fugitive emissions components are monitored during each survey. Example procedures include, but are not limited to, a sitemap with an observation path, a written narrative of where the fugitive emissions components are located

and how they will be monitored, or an inventory of fugitive emissions components.

[40 CFR 60.5397a(d)(1)]

- 1.2.4.4.2. If you are using Method 21 of appendix A-7 of this part, your plan must also include a list of fugitive emissions components to be monitored and method for determining the location of fugitive emissions components to be monitored in the field (e.g. tagging, identification on a process and instrumentation diagram, etc.).

[40 CFR 60.5397a(d)(2)]

- 1.2.4.4.3. Your fugitive emissions monitoring plan must also include the written plan developed for all of the fugitive emission components designated as difficult-to-monitor in accordance with paragraph §60.5397a(g)(3), and the written plan for fugitive emission components designated as unsafe-to-monitor in accordance with paragraph §60.5397a(g)(4).

[40 CFR 60.5397a(d)(3)]

- 1.2.4.5. Each monitoring survey shall observe each fugitive emissions component, as defined in §60.5430a, for fugitive emissions.

[40 CFR 60.5397a(e)]

- 1.2.4.6. You must conduct an initial monitoring survey within 90 days of the startup of production, as defined in §60.5430a, for each collection of fugitive emissions components at a new well site. For a modified collection of fugitive emissions components at a well site, the initial monitoring survey must be conducted within 90 days of the startup of production for each collection of fugitive emissions components after the modification.

[40 CFR 60.5397a(f)(1)]

- 1.2.4.7. A monitoring survey of each collection of fugitive emissions components at a well site must be performed at the frequencies specified in §60.5397a(g)(1), with the exceptions noted in §60.5397a(g)(3) through (5).

[40 CFR 60.5397a(g)]

- 1.2.4.7.1. A monitoring survey of the collection of fugitive emissions components at a well site must be conducted at least semiannually after the initial survey. Consecutive semiannual monitoring surveys must be conducted at least 4 months apart and no more than 7 months apart.

[40 CFR 60.5397a(g)(1)]

- 1.2.4.7.2. Fugitive emissions components that cannot be monitored without elevating the monitoring personnel more than 2 meters above the surface may be designated as difficult-to-monitor. Fugitive emissions components that are designated difficult-to-monitor must meet the specifications of paragraphs §60.5397a(g)(3)(i) through (iv).
[40 CFR 60.5397a(g)(3)]
- 1.2.4.7.2.1. A written plan must be developed for all of the fugitive emissions components designated difficult-to-monitor. This written plan must be incorporated into the fugitive emissions monitoring plan required by paragraphs §60.5397a(b), (c), and (d).
[40 CFR 60.5397a(g)(3)(i)]
- 1.2.4.7.2.2. The plan must include the identification and location of each fugitive emissions component designated as difficult-to-monitor.
[40 CFR 60.5397a(g)(3)(ii)]
- 1.2.4.7.2.3. The plan must include an explanation of why each fugitive emissions component designated as difficult-to-monitor is difficult-to-monitor.
[40 CFR 60.5397a(g)(3)(iii)]
- 1.2.4.7.2.4. The plan must include a schedule for monitoring the difficult-to-monitor fugitive emissions components at least once per calendar year.
[40 CFR 60.5397a(g)(3)(iv)]
- 1.2.4.7.3. Fugitive emissions components that cannot be monitored because monitoring personnel would be exposed to immediate danger while conducting a monitoring survey may be designated as unsafe-to-monitor. Fugitive emissions components that are designated unsafe-to-monitor must meet the specifications of paragraphs §60.5397a(g)(4)(i) through (iv).
[40 CFR 60.5397a(g)(4)]
- 1.2.4.7.3.1. A written plan must be developed for all of the fugitive emissions components designated unsafe-to-monitor. This written plan must be incorporated into the fugitive emissions monitoring plan required by paragraphs §60.5397a(b), (c), and (d).
[40 CFR 60.5397a(g)(4)(i)]

- 1.2.4.7.3.2. The plan must include the identification and location of each fugitive emissions component designated as unsafe-to-monitor.
[40 CFR 60.5397a(g)(4)(ii)]
- 1.2.4.7.3.3. The plan must include an explanation of why each fugitive emissions component designated as unsafe-to-monitor is unsafe-to-monitor.
[40 CFR 60.5397a(g)(4)(iii)]
- 1.2.4.7.3.4. The plan must include a schedule for monitoring the fugitive emissions components designated as unsafe-to-monitor.
[40 CFR 60.5397a(g)(4)(iv)]
- 1.2.4.7.4. You are no longer required to comply with the requirements of §60.5397a(g)(1) when the owner or operator removes all major production and processing equipment, as defined in §60.5430a, such that the well site becomes a wellhead only well site. If any major production and processing equipment is subsequently added to the well site, then the owner or operator must comply with the requirements in §60.5397a(f)(1) and (g)(1).
[40 CFR 60.5397a(g)(5)]
- 1.2.4.8. Each identified source of fugitive emissions shall be repaired, as defined in §60.5430a, in accordance with §60.5397a(h)(1) and (2).
[40 CFR 60.5397a(h)]
- 1.2.4.8.1. A first attempt at repair shall be made no later than 30 calendar days after detection of the fugitive emissions.
[40 CFR 60.5397a(h)(1)]
- 1.2.4.8.2. Repair shall be completed as soon as practicable, but no later than 30 calendar days after the first attempt at repair as required in paragraph §60.5397a(h)(1).
[40 CFR 60.5397a(h)(2)]
- 1.2.4.8.3. Delay of repair will be allowed if the conditions in §60.5397a(h)(3)(i) or (ii) are met.
[40 CFR 60.5397a(h)(3)]
- 1.2.4.8.3.1. If the repair is technically infeasible, would require a vent blowdown, a well shutdown or well shut-in, or would be unsafe to repair during operation of the unit, the repair must be completed during the next scheduled well shutdown,

scheduled well shut-in, after a scheduled vent blowdown, or within 2 years of detecting the fugitive emissions, whichever is earliest. For purposes of §60.5397a(h)(3), a vent blowdown is the opening of one or more blowdown valves to depressurize major production and processing equipment, other than a storage vessel.

[40 CFR 60.5397a(h)(3)(i)]

- 1.2.4.8.3.2. If the repair requires replacement of a fugitive emissions component or a part thereof, but the replacement cannot be acquired and installed within the repair timelines specified in §60.5397a(h)(1) and (2) due to either of the conditions specified in paragraphs §60.5397a(h)(3)(ii)(A) or (B), the repair must be completed in accordance with paragraph §60.5397a(h)(3)(ii)(C) and documented in accordance with §60.5420a(c)(15)(vii)(I).

[40 CFR 60.5397a(h)(3)(ii)]

- 1.2.4.8.3.2.1. Valve assembly supplies had been sufficiently stocked but are depleted at the time of the required repair.

[40 CFR 60.5397a(h)(3)(ii)(A)]

- 1.2.4.8.3.2.2. A replacement fugitive emissions component or a part thereof requires custom fabrication.

[40 CFR 60.5397a(h)(3)(ii)(B)]

- 1.2.4.8.3.2.3. The required replacement must be ordered no later than 10 calendar days after the first attempt at repair. The repair must be completed as soon as practicable, but no later than 30 calendar days after receipt of the replacement component, unless the repair requires a well shutdown. If the repair requires a well shutdown, the repair must be completed in accordance with the timeframe specified in §60.5397a(h)(3)(i).

[40 CFR 60.5397a(h)(3)(ii)(C)]

- 1.2.4.8.4. Each identified source of fugitive emissions must be resurveyed to complete repair according to the requirements in §60.5397a(h)(4)(i) through (iv), to ensure that there are no fugitive emissions.

[40 CFR 60.5397a(h)(4)]

- 1.2.4.8.4.1. The operator may resurvey the fugitive emissions components to verify repair using either Method 21 of appendix A–7 of this part or optical gas imaging.
[40 CFR 60.5397a(h)(4)(i)]
- 1.2.4.8.4.2. For each repair that cannot be made during the monitoring survey when the fugitive emissions are initially found, a digital photograph must be taken of that component or the component must be tagged during the monitoring survey when the fugitives were initially found for identification purposes and subsequent repair. The digital photograph must include the date that the photograph was taken and must clearly identify the component by location within the site (e.g., the latitude and longitude of the component or by other descriptive landmarks visible in the picture).
[40 CFR 60.5397a(h)(4)(ii)]
- 1.2.4.8.4.3. Operators that use Method 21 of appendix A–7 of this part to resurvey the repaired fugitive emissions components are subject to the resurvey provisions specified in paragraphs §60.5397a(h)(3)(iii)(A) and (B).
[40 CFR 60.5397a(h)(4)(iii)]
- 1.2.4.8.4.3.1. A fugitive emissions component is repaired when the Method 21 instrument indicates a concentration of less than 500 ppm above background or when no soap bubbles are observed when the alternative screening procedures specified in section 8.3.3 of Method 21 of appendix A–7 of this part are used.
[40 CFR 60.5397a(h)(4)(iii)(A)]
- 1.2.4.8.4.3.2. Operators must use the Method 21 monitoring requirements specified in paragraph §60.5397a(c)(8)(ii) or the alternative screening procedures specified in section 8.3.3 of Method 21 of appendix A–7 of this part.
[40 CFR 60.5397a(h)(4)(iii)(B)]
- 1.2.4.8.4.4. Operators that use optical gas imaging to resurvey the repaired fugitive emissions components, are subject to the resurvey provisions specified in paragraphs §60.5397a(h)(4)(iv)(A) and (B).
[40 CFR 60.5397a(h)(4)(iv)]

- 1.2.4.8.4.4.1. A fugitive emissions component is repaired when the optical gas imaging instrument shows no indication of visible emissions.
[40 CFR 60.5397a(h)(4)(iv)(A)]
- 1.2.4.8.4.4.2. Operators must use the optical gas imaging monitoring requirements specified in paragraph §60.5397a(c)(7).
[40 CFR 60.5397a(h)(4)(iv)(B)]
- 1.2.4.9. Records for each monitoring survey shall be maintained as specified §60.5420a(c)(15).
[40 CFR 60.5397a(i)]
- 1.2.4.10. Annual reports shall be submitted for each collection of fugitive emissions components at a well site that include the information specified in §60.5420a(b)(7). Multiple collection of fugitive emissions components at a well site may be included in a single annual report.
[40 CFR 60.5397a(j)]

1.2.5. Notification, Reporting, and Recordkeeping Requirements

- 1.2.5.1. **Reporting requirements.** You must submit annual reports containing the information specified in paragraphs §60.5420a(b)(1), (7), and (12). You must submit annual reports following the procedure specified in §60.5420a(b)(11). The initial annual report is due no later than 90 days after the end of the initial compliance period as determined according to §60.5410a. Subsequent annual reports are due no later than April 1 of each year. The report due on April 1 shall cover the reporting period of January 1 – December 31 of the previous calendar year. If you own or operate more than one affected facility, you may submit one report for multiple affected facilities provided the report contains all of the information required in §60.5420a(b)(1), (7), and (12). Annual reports may coincide with title V reports as long as all the required elements of the annual report are included.
[40 CFR 60.5420a(b) and RAC 2-110(7)]
- 1.2.5.1.1. The general information specified in §60.5420a(b)(1)(i) through (iv) is required for all reports.
[40 CFR 60.5420a(b)(1)]
- 1.2.5.1.1.1. The company name, facility site name associated with the affected facility, and address of the affected facility. If an address is not available for the site, include a description of the site location and provide the latitude and longitude

coordinates of the site in decimal degrees to an accuracy and precision of five (5) decimals of a degree using the North American Datum of 1983.

[40 CFR 60.5420a(b)(1)(i)]

- 1.2.5.1.1.2. An identification of each affected facility being included in the annual report.

[40 CFR 60.5420a(b)(1)(ii)]

- 1.2.5.1.1.3. Beginning and ending dates of the reporting period.

[40 CFR 60.5420a(b)(1)(iii)]

- 1.2.5.1.1.4. A certification by a certifying official of truth, accuracy, and completeness. This certification shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate, and complete.

[40 CFR 60.5420a(b)(1)(iv)]

- 1.2.5.1.2. For the collection of fugitive emissions components at each well site, report the information specified in §60.5420a(b)(7)(i) through (iii), as applicable.

[40 CFR 60.5420a(b)(7)]

- 1.2.5.1.2.1. Designation of the type of site (i.e., well site) at which the collection of fugitive emissions components is located.

[40 CFR 60.5420a(b)(7)(i)(A)]

- 1.2.5.1.2.2. For each collection of fugitive emissions components at a well site that became an affected facility during the reporting period, you must include the date of startup or the date of modification.

[40 CFR 60.5420a(b)(7)(i)(B)]

- 1.2.5.1.2.3. For each collection of fugitive emissions components at a well site where during the reporting period you complete the removal of all major production and processing equipment such that the well site contains only one or more wellheads, you must include the date of the change to status as a wellhead only well site.

[40 CFR 60.5420a(b)(7)(i)(D)]

- 1.2.5.1.2.4. For each collection of fugitive emissions components at a well site where the removal of all major production and processing equipment and during the reporting period

major production and processing equipment is added back to the well site, the date that the first piece of major production and processing equipment is added back to the well site.

[40 CFR 60.5420a(b)(7)(i)(E)]

- 1.2.5.1.2.5. For each fugitive emissions monitoring survey performed during the annual reporting period, the information specified in §60.5420a(b)(7)(ii)(A) through (G).

[40 CFR 60.5420a(b)(7)(ii)]

- 1.2.5.1.2.5.1. Date of the survey.

[40 CFR 60.5420a(b)(7)(ii)(A)]

- 1.2.5.1.2.5.2. Monitoring instrument used.

[40 CFR 60.5420a(b)(7)(ii)(B)]

- 1.2.5.1.2.5.3. Any deviations from the monitoring plan elements under §60.5397a(c)(1), (2), and (7) and (c)(8)(i) or a statement that there were no deviations from these elements of the monitoring plan.

[40 CFR 60.5420a(b)(7)(ii)(C)]

- 1.2.5.1.2.5.4. Number and type of components for which fugitive emissions were detected.

[40 CFR 60.5420a(b)(7)(ii)(D)]

- 1.2.5.1.2.5.5. Number and type of fugitive emissions components that were not repaired as required in §60.5397a(h).

[40 CFR 60.5420a(b)(7)(ii)(E)]

- 1.2.5.1.2.5.6. Number and type of fugitive emission components (including designation as difficult-to-monitor or unsafe-to-monitor, if applicable) on delay of repair and explanation for each delay of repair.

[40 CFR 60.5420a(b)(7)(ii)(F)]

- 1.2.5.1.2.5.7. Date of planned shutdown(s) that occurred during the reporting period if there are any components that have been placed on delay of repair.

[40 CFR 60.5420a(b)(7)(ii)(G)]

- 1.2.5.1.2.6. For each collection of fugitive emissions components at a well site complying with an alternative fugitive emissions standard under §60.5399a, in lieu of the information

specified in §60.5420a(b)(7)(i) and (ii), you must provide the information specified in §60.5420a (b)(7)(iii)(A) through (C).

[40 CFR 60.5420a(b)(7)(iii)]

- 1.2.5.1.2.6.1. The alternative standard with which you are complying.

[40 CFR 60.5420a(b)(7)(iii)(A)]

- 1.2.5.1.2.6.2. The site-specific reports specified by the specific alternative fugitive emissions standard, submitted in the format in which they were submitted to the state, local, or tribal authority. If the report is in hard copy, you must scan the document and submit it as an electronic attachment to the annual report required in §60.5420a(b).

[40 CFR 60.5420a(b)(7)(iii)(B)]

- 1.2.5.1.2.6.3. If the report specified by the specific alternative fugitive emissions standard is not site-specific, you must submit the information specified in §60.5420a (b)(7)(i) and (ii) for each individual site complying with the alternative standard.

[40 CFR 60.5420a(b)(7)(iii)(C)]

- 1.2.5.1.2.7. If you comply with the alternative GHG and VOC standard under §60.5398b, in lieu of the information specified in §60.5420a (b)(7)(ii), you must provide the information specified in §60.5424b.

[40 CFR 60.5420a(b)(7)(iv)]

- 1.2.5.1.3. You must submit reports to the EPA via CEDRI, except as outlined in §60.5420a(b)(11). CEDRI can be accessed through the EPA's CDX (<https://cdx.epa.gov/>). You must use the appropriate electronic report template on the CEDRI website for this subpart (<https://www.epa.gov/electronic-reporting-air-emissions/cedri/>). If the reporting form specific to this subpart is not available on the CEDRI website at the time that the report is due, you must submit the report to the Administrator at the appropriate address listed in §60.4. Once the form has been available in CEDRI for at least 90 calendar days, you must begin submitting all subsequent reports via CEDRI. The date reporting forms become available will be listed on the CEDRI website. Unless the Administrator or delegated state agency or other authority has approved a different schedule for submission of reports, the reports must be submitted

by the deadlines specified in this subpart, regardless of the method in which the reports are submitted. The EPA will make all the information submitted through CEDRI available to the public without further notice to you. Do not use CEDRI to submit information you claim as CBI. Although we do not expect persons to assert a claim of CBI, if you wish to assert a CBI claim for some of the information in the report, submit a complete file using the appropriate electronic report template on the CEDRI website, including information claimed to be CBI, to the EPA following the procedures in §60.5420a(b)(11)(i) and (ii). Clearly mark the part or all of the information that you claim to be CBI. Information not marked as CBI may be authorized for public release without prior notice. Information marked as CBI will not be disclosed except in accordance with procedures set forth in 40 CFR part 2. All CBI claims must be asserted at the time of submission. Anything submitted using CEDRI cannot later be claimed CBI. Furthermore, under CAA section 114(c), emissions data is not entitled to confidential treatment, and the EPA is required to make emissions data available to the public. Thus, emissions data will not be protected as CBI and will be made publicly available. Submit the same file submitted to the CBI office with the CBI omitted must be submitted to the EPA via the EPA's CDX as described earlier in §60.5420a(b)(11).

[40 CFR 60.5420a(b)(11)]

- 1.2.5.1.3.1. The preferred method to receive CBI is for it to be transmitted electronically using email attachments, File Transfer Protocol, or other online file sharing services. Electronic submissions must be transmitted directly to the OAQPS CBI Office at the email address *oaqpschi@epa.gov*, and as described above, should include clear CBI markings. Files should be flagged to the attention of the Oil and Natural Gas Sector Lead. If assistance is needed with submitting large electronic files that exceed the file size limit for email attachments, and if you do not have your own file sharing service, please email *oaqpschi@epa.gov* to request a file transfer link.

[40 CFR 60.5420a(b)(11)(i)]

- 1.2.5.1.3.2. If you cannot transmit the file electronically, you may send CBI information through the postal service to the following address: U.S. EPA, Attn: OAQPS Document Control Officer and Oil and Natural Gas Sector Lead, Mail Drop: C404-02, 109 T.W. Alexander Drive, P.O. Box 12055, RTP, NC 27711. The mailed CBI material should be double

wrapped and clearly marked. Any CBI markings should not show through the outer envelope.

[40 CFR 60.5420a(b)(11)(ii)]

- 1.2.5.1.4. If you are required to electronically submit a report through CEDRI in the EPA's CDX, you may assert a claim of EPA system outage for failure to timely comply with the reporting requirement. To assert a claim of EPA system outage, you must meet the requirements outlined in paragraphs §60.5420a(b)(13)(i) through (vii).

[40 CFR 60.5420a(b)(13)]

- 1.2.5.1.4.1. You must have been or will be precluded from accessing CEDRI and submitting a required report within the time prescribed due to an outage of either the EPA's CEDRI or CDX systems.

[40 CFR 60.5420a(b)(13)(i)]

- 1.2.5.1.4.2. The outage must have occurred within the period of time beginning 5 business days prior to the date that the submission is due.

[40 CFR 60.5420a(b)(13)(ii)]

- 1.2.5.1.4.3. The outage may be planned or unplanned.

[40 CFR 60.5420a(b)(13)(iii)]

- 1.2.5.1.4.4. You must submit notification to the Administrator in writing as soon as possible following the date you first knew, or through due diligence should have known, that the event may cause or caused a delay in reporting.

[40 CFR 60.5420a(b)(13)(iv)]

- 1.2.5.1.4.5. You must provide to the Administrator a written description identifying:

[40 CFR 60.5420a(b)(13)(v)]

- 1.2.5.1.4.5.1. The date(s) and time(s) when CDX or CEDRI was accessed and the system was unavailable;

[40 CFR 60.5420a(b)(13)(v)(A)]

- 1.2.5.1.4.5.2. A rationale for attributing the delay in reporting beyond the regulatory deadline to the EPA system outage;

[40 CFR 60.5420a(b)(13)(v)(B)]

- 1.2.5.1.4.5.3. Measures taken or to be taken to minimize the delay in reporting; and
[40 CFR 60.5420a(b)(13)(v)(C)]
- 1.2.5.1.4.5.4. The date by which you propose to report, or if you have already met the reporting requirement at the time of the notification, the date you reported.
[40 CFR 60.5420a(b)(13)(v)(D)]
- 1.2.5.1.4.6. The decision to accept the claim of EPA system outage and allow an extension to the reporting deadline is solely within the discretion of the Administrator.
[40 CFR 60.5420a(b)(13)(vi)]
- 1.2.5.1.4.7. In any circumstance, the report must be submitted electronically as soon as possible after the outage is resolved.
[40 CFR 60.5420a(b)(13)(vii)]
- 1.2.5.1.5. If you are required to electronically submit a report through CEDRI in the EPA's CDX, the owner or operator may assert a claim of force majeure for failure to timely comply with the reporting requirement. To assert a claim of force majeure, you must meet the requirements outlined in paragraphs §60.5420a(b)(14)(i) through (v).
[40 CFR 60.5420a(b)(14)]
- 1.2.5.1.5.1. You may submit a claim if a force majeure event is about to occur, occurs, or has occurred or there are lingering effects from such an event within the period of time beginning 5 business days prior to the date the submission is due. For the purposes of this section, a force majeure event is defined as an event that will be or has been caused by circumstances beyond the control of the affected facility, its contractors, or any entity controlled by the affected facility that prevents you from complying with the requirement to submit a report electronically within the time period prescribed. Examples of such events are acts of nature (e.g., hurricanes, earthquakes, or floods), acts of war or terrorism, or equipment failure or safety hazard beyond the control of the affected facility (e.g., large scale power outage).
[40 CFR 60.5420a(b)(14)(i)]
- 1.2.5.1.5.2. You must submit notification to the Administrator in writing as soon as possible following the date you first

knew, or through due diligence should have known, that the event may cause or caused a delay in reporting.

[40 CFR 60.5420a(b)(14)(ii)]

1.2.5.1.5.3. You must provide to the Administrator:

[40 CFR 60.5420a(b)(14)(iii)]

1.2.5.1.5.3.1. A written description of the force majeure event;

[40 CFR 60.5420a(b)(14)(iii)(A)]

1.2.5.1.5.3.2. A rationale for attributing the delay in reporting beyond the regulatory deadline to the force majeure event;

[40 CFR 60.5420a(b)(14)(iii)(B)]

1.2.5.1.5.3.3. Measures taken or to be taken to minimize the delay in reporting; and

[40 CFR 60.5420a(b)(14)(iii)(C)]

1.2.5.1.5.3.4. The date by which you propose to report, or if you have already met the reporting requirement at the time of the notification, the date you reported.

[40 CFR 60.5420a(b)(14)(iii)(D)]

1.2.5.1.5.4. The decision to accept the claim of force majeure and allow an extension to the reporting deadline is solely within the discretion of the Administrator.

[40 CFR 60.5420a(b)(14)(iv)]

1.2.5.1.5.5. In any circumstance, the reporting must occur as soon as possible after the force majeure event occurs.

[40 CFR 60.5420a(b)(14)(v)]

1.2.5.2. **Recordkeeping requirements.** You must maintain the records identified as specified in §60.7(f) and §60.5420a(c)(15)(i) through (ix). All records required by this subpart must be maintained either onsite or at the nearest local field office for at least 5 years. Any records required to be maintained by this subpart that are submitted electronically via the EPA's CDX may be maintained in electronic format.

[40 CFR 60.5420a(c)]

1.2.5.2.1. For each collection of fugitive emissions components at a well site, maintain the records identified in §60.5420a(c)(15)(i) through (viii).

[40 CFR 60.5420a(c)(15)]

- 1.2.5.2.1.1. The date of the startup of production or the date of the first day of production after modification for each collection of fugitive emissions components at a well site.
[40 CFR 60.5420a(c)(15)(i)]
- 1.2.5.2.1.2. For each collection of fugitive emissions components at a well site where you complete the removal of all major production and processing equipment such that the well site contains only one or more wellheads, record the date the well site completes the removal of all major production and processing equipment from the well site, and, if the well site is still producing, record the well ID or separate tank battery ID receiving the production from the well site. If major production and processing equipment is subsequently added back to the well site, record the date that the first piece of major production and processing equipment is added back to the well site.
[40 CFR 60.5420a(c)(15)(v)]
- 1.2.5.2.1.3. The fugitive emissions monitoring plan as required in §60.5397a(b), (c), and (d).
[40 CFR 60.5420a(c)(15)(vi)]
- 1.2.5.2.1.4. The records of each monitoring survey as specified §60.5420a(c)(15)(vii)(A) through (I).
[40 CFR 60.5420a(c)(15)(vii)]
- 1.2.5.2.1.4.1. Date of the survey.
[40 CFR 60.5420a(c)(15)(vii)(A)]
- 1.2.5.2.1.4.2. Beginning and end time of the survey.
[40 CFR 60.5420a(c)(15)(vii)(B)]
- 1.2.5.2.1.4.3. Name of operator(s), training, and experience of the operator(s) performing the survey.
[40 CFR 60.5420a(c)(15)(vii)(C)]
- 1.2.5.2.1.4.4. Monitoring instrument used.
[40 CFR 60.5420a(c)(15)(vii)(D)]
- 1.2.5.2.1.4.5. Fugitive emissions component identification when Method 21 is used to perform the monitoring survey.
[40 CFR 60.5420a(c)(15)(vii)(E)]

- 1.2.5.2.1.4.6. Ambient temperature, sky conditions, and maximum wind speed at the time of the survey.
[40 CFR 60.5420a(c)(15)(vii)(F)]
- 1.2.5.2.1.4.7. Any deviations from the monitoring plan or a statement that there were no deviations from the monitoring plan.
[40 CFR 60.5420a(c)(15)(vii)(G)]
- 1.2.5.2.1.4.8. Records of calibrations for the instrument used during the monitoring survey.
[40 CFR 60.5420a(c)(15)(vii)(H)]
- 1.2.5.2.1.4.9. Documentation of each fugitive emission detected during the monitoring survey, including the information specified in §60.5240a(c)(15)(vii)(I)(1) through (9).
[40 CFR 60.5420a(c)(15)(vii)(I)]
- 1.2.5.2.1.4.9.1. Location of each fugitive emission identified.
[40 CFR 60.5420a(c)(15)(vii)(I)(1)]
- 1.2.5.2.1.4.9.2. Type of fugitive emissions component, including designation as difficult-to-monitor or unsafe-to-monitor, if applicable.
[40 CFR 60.5420a(c)(15)(vii)(I)(2)]
- 1.2.5.2.1.4.9.3. If Method 21 of appendix A–7 of this part is used for detection, record the component ID and instrument reading.
[40 CFR 60.5420a(c)(15)(vii)(I)(3)]
- 1.2.5.2.1.4.9.4. For each repair that cannot be made during the monitoring survey when the fugitive emissions are initially found, a digital photograph or video must be taken of that component or the component must be tagged for identification purposes. The digital photograph must include the date that the photograph was taken and must clearly identify the component by location within the site (e.g., the latitude and longitude of the component or by other descriptive landmarks visible in the picture). The digital

photograph or identification (e.g., tag) may be removed after the repair is completed, including verification of repair with the resurvey.

[40 CFR 60.5420a(c)(15)(vii)(I)(4)]

1.2.5.2.1.4.9.5.

The date of first attempt at repair of the fugitive emissions component(s).

[40 CFR 60.5420a(c)(15)(vii)(I)(5)]

1.2.5.2.1.4.9.6.

The date of successful repair of the fugitive emissions component, including the resurvey to verify repair and instrument used for the resurvey.

[40 CFR 60.5420a(c)(15)(vii)(I)(6)]

1.2.5.2.1.4.9.7.

Identification of each fugitive emission component placed on delay of repair and explanation for each delay of repair.

[40 CFR 60.5420a(c)(15)(vii)(I)(7)]

1.2.5.2.1.4.9.8.

For each fugitive emission component placed on delay of repair for reason of replacement component unavailability, the operator must document: the date the component was added to the delay of repair list, the date the replacement fugitive component or part thereof was ordered, the anticipated component delivery date (including any estimated shipment or delivery date provided by the vendor), and the actual arrival date of the component.

[40 CFR 60.5420a(c)(15)(vii)(I)(8)]

1.2.5.2.1.4.9.9.

Date of planned shutdowns that occur while there are any components that have been placed on delay of repair.

[40 CFR 60.5420a(c)(15)(vii)(I)(9)]

1.2.5.2.1.5.

For each collection of fugitive emissions components at a well site complying with an alternative means of emissions limitation under §60.5399a, you must maintain the records specified by the specific alternative fugitive emissions standard for a period of at least 5 years.

[40 CFR 60.5420a(c)(15)(viii)]

- 1.2.5.2.1.6. If you comply with the alternative GHG and VOC standard under §60.5398b, in lieu of the information specified in §60.5420a(c)(15)(vi) through (vii), you must maintain the records specified in §60.5424b.
[40 CFR 60.5420a(c)(15)(ix)]

1.2.6. General Provisions

- 1.2.6.1. Table 3 to this subpart shows which parts of the General Provisions in §§60.1 through 60.19 apply to you.

Table 3 to Subpart OOOOa of Part 60—Applicability of General Provisions to Subpart OOOOa			
General provisions citation	Subject of citation	Applies to subpart?	Explanation
§60.1	General applicability of the General Provisions	Yes	
§60.2	Definitions	Yes	Additional terms defined in §60.5430a.
§60.3	Units and abbreviations	Yes	
§60.4	Address	Yes	
§60.5	Determination of construction or modification	Yes	
§60.6	Review of plans	Yes	
§60.7	Notification and record keeping	Yes	Except that §60.7 only applies as specified in §60.5420a(a).
§60.8	Performance tests	Yes	Except that the format of performance test reports is described in §60.5420a(b). Performance testing is required for control devices used on storage vessels, centrifugal compressors, and pneumatic pumps, except that performance testing is not required for a control device used solely on pneumatic pump(s).
§60.9	Availability of information	Yes	
§60.10	State authority	Yes	
§60.11	Compliance with standards and maintenance requirements	No	Requirements are specified in subpart OOOOa.
§60.12	Circumvention	Yes	
§60.13	Monitoring requirements		Continuous monitors are required for storage vessels
§60.14	Modification	Yes	To the extent any provision in §60.14 conflicts with specific provisions in subpart OOOOa, it is superseded by subpart OOOOa provisions.

§60.15	Reconstruction	Yes	Except that §60.15(d) does not apply to wells, pneumatic controllers, pneumatic pumps, centrifugal compressors, reciprocating compressors, storage vessels, or the collection of fugitive emissions components at a well site or the collection of fugitive emissions components at a compressor station.
§60.16	Priority list	Yes	
§60.17	Incorporations by reference	Yes	
§60.18	General control device and work practice requirements	Yes	
§60.19	General notification and reporting requirement	Yes	

[40 CFR 60.5425a]

2. National Emission Standards for Hazardous Air Pollutants (NESHAP) and 40 CFR Part 63

2.1. 40 CFR Part 63, Subpart HH - National Emission Standards for Hazardous Air Pollutants From Oil and Natural Gas Production Facilities [40 CFR 63.760 – 63.779 and RAC 4-103]

The permittee is the owner or operator of a glycol dehydration unit that is exempt from the standards of 40 CFR §63.764(d). The permittee shall retain each determination used to demonstrate that the actual average benzene emissions from each dehydrator are below 0.90 megagram per year.

[40 CFR 63.764(e)(1), 63.772(b), and 63.774(d)(1)]

- 2.1.1. The permittee must obtain an extended wet gas analysis of the inlet gas stream at least once per calendar year. The gas sample shall be taken at a point prior to where the gas enters the dehydration system contact tower. The analysis shall include the gas temperature and pressure at which the sample was taken. The gas analysis results and corresponding temperature and pressure documented during collection of the gas sample must be used to determine the actual average benzene emissions annually, in accordance with §63.772(b)(2)(i) or (ii). If electing to make this demonstration according §63.772(b)(2)(i), using the GRI-GLYCalc™ model, the permittee shall perform each model run using a single gas analysis and the corresponding temperature and pressure documented during collection of the gas sample. The permittee may elect to average the results of multiple GRI-GLYCalc™ model runs in determining actual average benzene emissions annually, if multiple gas samples are collected within a 12-month period.

[RAC 2-110(5)(b)]

2.2. 40 CFR Part 63, Subpart ZZZZ – National Emission Standards for Hazardous Air Pollutants for Reciprocating Internal Combustion Engines [40 CFR 63.6580 – 63.6675, RAC 4-103]

This facility is subject to the requirements of 40 CFR Part 63, Subpart ZZZZ for existing remote stationary reciprocating internal combustion engines (RICE) with a site rating of greater than 500 brake horsepower and a site rating of less than 500 brake horsepower located at an area source of hazardous air pollutants (HAPs). Notwithstanding conditions in this permit, the permittee shall comply with all applicable requirements of 40 CFR Part 63 Subparts A and ZZZZ.

Additionally, emission unit Gen is considered a new stationary RICE located at an area source of HAP. In accordance with §63.6590(c)(1), Gen must meet the requirements of Subpart ZZZZ by meeting the requirements of 40 CFR Part 60, Subpart JJJJ. However, Gen (a SI ICE with a maximum engine power less than 500 HP) was manufactured prior to July 1, 2008, and therefore has no requirements under 40 CFR Part 60, Subpart JJJJ.

2.2.1. Affected Sources

The following emission units are considered affected sources under 40 CFR Part 63, Subpart ZZZZ:

C-100 - Waukesha L5790GL (4SLB SI) Natural Gas-Fired Compressor Engine, 1,091 Site Rated HP

C-200 - Waukesha L7042GL (4SLB SI) Natural Gas-Fired Compressor Engine, 1,329 Site Rated HP

Gen - Arrow 330CF (4SRB SI) Natural Gas-Fired Generator Engine, 61 Site Rated HP

AL2 - Arrow VRG 330 (4SRB SI) Natural Gas-Fired Artificial Lift Engine, 58 Site Rated HP

[40 CFR 63.6585 & 63.6590]

2.2.2. Emission and Operating Limitations

2.2.2.1. If you own or operate an existing stationary RICE located at an area source of HAP emissions, you must comply with the requirements in Table 2d to this subpart that apply to you.

[40 CFR 63.6603(a)]

<p>Table 2d to Subpart ZZZZ of Part 63 – Requirements for Existing Stationary RICE Located at Area Sources of HAP Emissions</p>
--

<p>As stated in §63.6603 and §63.6640, you must comply with the following requirements for existing stationary RICE located at area sources of HAP emissions:</p>

For Each...	You must meet the following emission limitation, except during periods of startup...	During periods of startup you must...
8. Non-emergency, non-black start 4SLB remote stationary RICE >500 HP	<p>a. Change oil and filter every 2,160 hours of operation or within 1 year + 30 days of the previous change, whichever comes first;¹</p> <p>b. Inspect spark plugs every 2,160 hours of operation or within 1 year + 30 days of the previous inspection, whichever comes first, and replace as necessary; and</p> <p>c. Inspect all hoses and belts every 2,160 hours of operation or within 1 year + 30 days of the previous inspection, whichever comes first, and replace as necessary.</p>	Minimize the engine's time spent at idle and minimize the engine's startup time at startup to a period needed for appropriate and safe loading of the engine, not to exceed 30 minutes, after which time the non-startup emission limitations apply.
10. Non-emergency, non-black start 4SRB stationary RICE ≤ 500 HP	<p>a. Change oil and filter every 1,440 hours of operation or within 1 year + 30 days of the previous change, whichever comes first;¹</p> <p>b. Inspect spark plugs every 1,440 hours of operation or within 1 year + 30 days of the previous inspection, whichever comes first, and replace as necessary; and</p> <p>c. Inspect all hoses and belts every 1,440 hours of operation or within 1 year + 30 days of the previous inspection, whichever comes first, and replace as necessary.</p>	

¹ Sources have the option to utilize an oil analysis program as described in §63.6625(i) or (j) in order to extend the specified oil change requirement in Table 2d of this subpart.

2.2.2.2. Owners and operators of existing non-emergency SI 4SLB stationary RICE with a site rating of more than 500 HP located at area sources of HAP that meet the definition of remote stationary RICE in §63.6675 must evaluate the status of their stationary RICE every 12 months. Owners and operators must keep records of the initial and annual evaluation of the status of the engine. If the evaluation indicates that the stationary RICE no longer meets the definition of remote stationary RICE in §63.6675, the owner or operator must comply with all of the requirements for existing non-emergency SI 4SLB stationary RICE with a site rating of more than 500 HP located at area sources of HAP that are not remote stationary RICE within 1 year of the evaluation.

[40 CFR 63.6603(f)]

2.2.2.2.1. In accordance with §63.6675, for stationary RICE located on a pipeline segment, *Remote Stationary RICE* must meet the criteria listed below:

2.2.2.2.1.1. A pipeline segment with 10 or fewer buildings intended for human occupancy and no buildings with four or more stories within 220 yards (200 meters) on either side of the centerline of any continuous 1-mile (1.6 kilometers) length of pipeline.

Each separate dwelling unit in a multiple dwelling unit building is counted as a separate building intended for human occupancy.

2.2.2.2.1.2. The pipeline segment does not lie within 100 yards (91 meters) of either a building or a small, well-defined outside area (such as a playground, recreation area, outdoor theater, or other place of public assembly) that is occupied by 20 or more persons on at least 5 days a week for 10 weeks in any 12-month period. The days and weeks need not be consecutive. The building or area is considered occupied for a full day if it is occupied for any portion of the day.

2.2.2.2.1.3. For purposes of this section, the term pipeline segment means all parts of those physical facilities through which gas moves in transportation, including but not limited to pipe, valves, and other appurtenance attached to pipe, compressor units, metering stations, regulator stations, delivery stations, holders, and fabricated assemblies. Stationary RICE located within 50 yards (46 meters) of the pipeline segment providing power for equipment on a pipeline segment are part of the pipeline segment. Transportation of gas means the gathering, transmission, or distribution of gas by pipeline, or the storage of gas. A building is intended for human occupancy if its primary use is for a purpose involving the presence of humans.

[40 CFR 63.6603 & 63.6675]

2.2.3. General Compliance Requirements

2.2.3.1. You must be in compliance with the emission limitations, operating limitations, and other requirements in this subpart that apply to you at all times.

[40 CFR 63.6605(a)]

2.2.3.1. At all times you must operate and maintain any affected source, including associated air pollution control equipment and monitoring equipment, in a manner consistent with safety and good air pollution control practices for minimizing emissions. The general duty to minimize emissions does not require you to make any further efforts to reduce emissions if levels required by this standard have been achieved. Determination of whether such operation and maintenance procedures are being used will be based on information available to the Administrator which may include, but is not limited to, monitoring results, review of operation and maintenance

procedures, review of operation and maintenance records, and inspection of the source.

[40 CFR 63.6605(b)]

2.2.4. Monitoring, Instillation, Collection, Operation, and Maintenance Requirements

- 2.2.4.1. You must operate and maintain the stationary RICE and after-treatment control device (if any) according to the manufacturer's emission-related written instructions or develop your own maintenance plan which must provide to the extent practicable for the maintenance and operation of the engine in a manner consistent with good air pollution control practice for minimizing emissions:

[40 CFR 63.6625(e)]

- 2.2.4.2. You must minimize the engine's time spent at idle during startup and minimize the engine's startup time to a period needed for appropriate and safe loading of the engine, not to exceed 30 minutes, after which time the emission standards applicable to all times other than startup in Tables 2d to this subpart apply.

[40 CFR 63.6625(h)]

- 2.2.4.3. You have the option of utilizing an oil analysis program in order to extend the specified oil and filter change requirement in table 2d. The oil analysis must be performed at the same frequency specified for changing the oil and filter in table 2d. The analysis program must at a minimum analyze the following three parameters: Total Acid Number, viscosity, and percent water content. The condemning limits for these parameters are as follows: Total Acid Number increases by more than 3.0 milligrams of potassium hydroxide (KOH) per gram from Total Acid Number of the oil when new; viscosity of the oil has changed by more than 20 percent from the viscosity of the oil when new; or percent water content (by volume) is greater than 0.5. If all of these condemning limits are not exceeded, the engine owner or operator is not required to change the oil and filter. If any of the limits are exceeded, the engine owner or operator must change the oil and filter within 2 business days of receiving the results of the analysis; if the engine is not in operation when the results of the analysis are received, the engine owner or operator must change the oil and filter within 2 business days or before commencing operation, whichever is later. The owner or operator must keep records of the parameters that are analyzed as part of the program, the results of the analysis, and the oil and filter changes for the engine. The analysis program must be part of the maintenance plan for the engine.

[40 CFR 63.6625(j)]

2.2.5. Continuous Compliance Requirements

- 2.2.5.1. You must demonstrate continuous compliance with each emission limitation, operating limitation, and other requirements in Table 2d to this subpart that apply to you according to methods specified in Table 6 to this subpart.

[40 CFR 63.6640(a)]

Table 6 to Subpart ZZZZ of Part 63 – Continuous Compliance with Emission Limitations, and Other Requirements		
As stated in §63.6640, you must continuously comply with the emissions and operating limitations and work or management practices as required by the following:		
For Each...	Complying with the requirement to...	You must demonstrate continuous compliance by...
9. Existing non-emergency 4SLB stationary RICE >500 HP located at an area source of HAP that are remote stationary RICE Existing non-emergency 4SRB stationary RICE ≤500 HP located at an area source of HAP	a. Work or Management practices	i. Operating and maintaining the stationary RICE according to the manufacturer's emission-related operation and maintenance instructions; or ii. Develop and follow your own maintenance plan which must provide to the extent practicable for the maintenance and operation of the engine in a manner consistent with good air pollution control practice for minimizing emissions.

- 2.2.5.2. You must report each instance in which you did not meet each emission limitation or operating limitation in Table 2d that apply to you. These instances are deviations from the emission and operating limitations in this subpart. These deviations must be reported according to the requirements in §63.6650. If you change your catalyst, you must reestablish the values of the operating parameters measured during the initial performance test. When you reestablish the values of your operating parameters, you must also conduct a performance test to demonstrate that you are meeting the required emission limitation applicable to your stationary RICE.

[40 CFR 63.6640(b)]

- 2.2.5.3. You must also report each instance in which you did not meet the requirements in Table 8 to this subpart that apply to you.

[40 CFR 63.6640(e)]

2.2.6. Notifications, Reports, and Records

- 2.2.6.1. If you must comply with the emission and operating limitations, you must keep the records described in §63.6655(a)(1) through (a)(5).

[40 CFR 63.6655(a)]

- 2.2.6.1.1. A copy of each notification and report that you submitted to comply with this subpart, including all documentation supporting any Initial Notification or Notification of Compliance Status that you submitted, according to the requirement in §63.10(b)(2)(xiv).
[40 CFR 63.6655(a)(1)]
- 2.2.6.1.2. Records of the occurrence and duration (in hours) of each malfunction of operation (*i.e.*, process equipment) or the air pollution control and monitoring equipment.
[40 CFR 63.6655(a)(2)]
- 2.2.6.1.3. Records of performance tests and performance evaluations as required in §63.10(b)(2)(viii).
[40 CFR 63.6655(a)(3)]
- 2.2.6.1.4. Records of all required maintenance performed on the air pollution control and monitoring equipment.
[40 CFR 63.6655(a)(4)]
- 2.2.6.1.5. Records of actions taken during periods of malfunction to minimize emissions in accordance with §63.6605(b), including corrective actions to restore malfunctioning process and air pollution control and monitoring equipment to its normal or usual manner of operation.
[40 CFR 63.6655(a)(5)]
- 2.2.6.2. You must keep the records required in Table 6 of this subpart to show continuous compliance with each emission or operating limitation that applies to you.
[40 CFR 63.6655(d)]
- 2.2.6.3. You must keep records of the maintenance conducted on the stationary RICE in order to demonstrate that you operated and maintained the stationary RICE and after-treatment control device (if any) according to your own maintenance plan
[40 CFR 63.6655(e)]
- 2.2.6.3.1. In order to demonstrate compliance with the maintenance requirements, maintenance records will record the information including, but not limited to, the following:
- 2.2.6.3.1.1. Date the maintenance activity occurred.
- 2.2.6.3.1.2. Hours of engine operation.

- 2.2.6.3.1.3. Engine serial number.
- 2.2.6.3.1.4. If an engine oil sample was pulled, if the engine oil analysis program is allowed under §63.6625(j).
- 2.2.6.3.1.5. If the engine oil was replaced.
- 2.2.6.3.1.6. If the engine oil filter was replaced.
- 2.2.6.3.1.7. If the belts were inspected or replaced.
- 2.2.6.3.1.8. If the hoses were inspected or replaced.
- 2.2.6.3.1.9. If the sparkplugs were inspected or replaced.
[RAC 2-110(6)]

2.2.6.4. Records must be in a form suitable and readily available for expeditious review according to §63.10(b)(1).
[40 CFR 63.6660(a)]

2.2.6.5. As specified in §63.10(b)(1), you must keep each record for 5 years following the date of each occurrence, measurement, maintenance, corrective action, report, or record.
[40 CFR 63.6660(b)]

2.2.6.6. You must keep each record readily accessible in hard copy or electronic form for at least 5 years after the date of each occurrence, measurement, maintenance, corrective action, report, or record, according to §63.10(b)(1).
[40 CFR 63.6660(c)]

2.2.7. General Provisions

2.2.7.1. Table 8 to this subpart shows which parts of the General Provisions in §§63.1 through 63.15 apply to you.
[40 CFR 63.6665]

Table 8 to Subpart ZZZZ of Part 63—Applicability of General Provisions to Subpart ZZZZ			
General provisions citation	Subject of citation	Applies to subpart	Explanation
§63.1	General applicability of the General Provisions	Yes.	
§63.2	Definitions	Yes	Additional terms defined in §63.6675.
§63.3	Units and abbreviations	Yes.	

§63.4	Prohibited activities and circumvention	Yes.	
§63.5	Construction and reconstruction	Yes.	
§63.6(a)	Applicability	Yes.	
§63.6(b)(1)-(4)	Compliance dates for new and reconstructed sources	Yes.	
§63.6(b)(5)	Notification	Yes.	
§63.6(b)(7)	Compliance dates for new and reconstructed area sources that become major sources	Yes.	
§63.6(c)(1)-(2)	Compliance dates for existing sources	Yes.	
§63.6(c)(5)	Compliance dates for existing area sources that become major sources	Yes.	
§63.6(f)(2)	Methods for determining compliance	Yes.	
§63.6(f)(3)	Finding of compliance	Yes.	
§63.6(g)(1)-(3)	Use of alternate standard	Yes.	
§63.6(i)	Compliance extension procedures and criteria	Yes.	
§63.6(j)	Presidential compliance exemption	Yes.	
§63.7(a)(1)-(2)	Performance test dates	Yes	Subpart ZZZZ contains performance test dates at §§63.6610, 63.6611, and 63.6612.
§63.7(a)(3)	CAA section 114 authority	Yes.	
§63.7(b)(1)	Notification of performance test	Yes	Except that §63.7(b)(1) only applies as specified in §63.6645.
§63.7(b)(2)	Notification of rescheduling	Yes	Except that §63.7(b)(2) only applies as specified in §63.6645.
§63.7(c)	Quality assurance/test plan	Yes	Except that §63.7(c) only applies as specified in §63.6645.
§63.7(d)	Testing facilities	Yes.	
§63.7(e)(2)	Conduct of performance tests and reduction of data	Yes	Subpart ZZZZ specifies test methods at §63.6620.
§63.7(e)(3)	Test run duration	Yes.	
§63.7(e)(4)	Administrator may require other testing under section 114 of the CAA	Yes.	
§63.7(f)	Alternative test method provisions	Yes.	
§63.7(g)	Performance test data analysis, recordkeeping, and reporting	Yes.	
§63.7(h)	Waiver of tests	Yes.	
§63.8(a)(1)	Applicability of monitoring requirements	Yes	Subpart ZZZZ contains specific requirements for monitoring at §63.6625.
§63.8(a)(2)	Performance specifications	Yes.	
§63.8(b)(1)	Monitoring	Yes.	
§63.8(b)(2)-(3)	Multiple effluents and multiple monitoring systems	Yes.	
§63.8(c)(1)	Monitoring system operation and maintenance	Yes.	
§63.8(c)(1)(ii)	SSM not in Startup Shutdown Malfunction Plan	Yes.	
§63.8(c)(2)-(3)	Monitoring system installation	Yes.	

§63.8(c)(4)	Continuous monitoring system (CMS) requirements	Yes	Except that subpart ZZZZ does not require Continuous Opacity Monitoring System (COMS).
§63.8(c)(6)-(8)	CMS requirements	Yes	Except that subpart ZZZZ does not require COMS.
§63.8(d)	CMS quality control	Yes.	
§63.8(e)	CMS performance evaluation	Yes	Except for §63.8(e)(5)(ii), which applies to COMS. Except that §63.8(e) only applies as specified in §63.6645.
§63.8(f)(1)-(5)	Alternative monitoring method	Yes	Except that §63.8(f)(4) only applies as specified in §63.6645.
§63.8(f)(6)	Alternative to relative accuracy test	Yes	Except that §63.8(f)(6) only applies as specified in §63.6645.
§63.8(g)	Data reduction	Yes	Except that provisions for COMS are not applicable. Averaging periods for demonstrating compliance are specified at §§63.6635 and 63.6640.
§63.9(a)	Applicability and State delegation of notification requirements	Yes.	
§63.9(b)(1)-(5)	Initial notifications	Yes	Except that §63.9(b)(3) is reserved. Except that §63.9(b) only applies as specified in §63.6645
§63.9(c)	Request for compliance extension	Yes	Except that §63.9(c) only applies as specified in §63.6645.
§63.9(d)	Notification of special compliance requirements for new sources	Yes	Except that §63.9(d) only applies as specified in §63.6645.
§63.9(e)	Notification of performance test	Yes	Except that §63.9(e) only applies as specified in §63.6645.
§63.9(g)(1)	Notification of performance evaluation	Yes	Except that §63.9(g) only applies as specified in §63.6645.
§63.9(g)(3)	Notification that criterion for alternative to RATA is exceeded	Yes	If alternative is in use. Except that §63.9(g) only applies as specified in §63.6645.
§63.9(h)(1)-(6)	Notification of compliance status	Yes	Except that notifications for sources using a CEMS are due 30 days after completion of performance evaluations. §63.9(h)(4) is reserved. Except that §63.9(h) only applies as specified in §63.6645.
§63.9(i)	Adjustment of submittal deadlines	Yes.	
§63.9(j)	Change in previous information	Yes.	
§63.10(a)	Administrative provisions for recordkeeping/reporting	Yes.	
§63.10(b)(1)	Record retention	Yes	Except that the most recent 2 years of data do not have to be retained on site.
§63.10(b)(2)(vi)-(xi)	Records	Yes.	
§63.10(b)(2)(xii)	Record when under waiver	Yes.	

§63.10(b)(2)(xiii)	Records when using alternative to RATA	Yes	For CO standard if using RATA alternative.
§63.10(b)(2)(xiv)	Records of supporting documentation	Yes.	
§63.10(b)(3)	Records of applicability determination	Yes.	
§63.10(c)	Additional records for sources using CEMS	Yes	Except that §63.10(c)(2)-(4) and (9) are reserved.
§63.10(d)(1)	General reporting requirements	Yes.	
§63.10(d)(2)	Report of performance test results	Yes.	
§63.10(d)(4)	Progress reports	Yes.	
§63.10(e)(1) and (2)(i)	Additional CMS Reports	Yes.	
§63.10(e)(3)	Excess emission and parameter exceedances reports	Yes.	Except that §63.10(e)(3)(i) (C) is reserved.
§63.10(f)	Waiver for recordkeeping/reporting	Yes.	
§63.12	State authority and delegations	Yes.	
§63.13	Addresses	Yes.	
§63.14	Incorporation by reference	Yes.	
§63.15	Availability of information	Yes.	

3. Reserved – Tribal Minor New Source Review

3.1 Federal Implementation Plan for Managing Air Emissions from True Minor Sources in Indian Country in the Oil and Natural Gas Production and Natural Gas Processing Segments of the Oil and Natural Gas Sector *[40 CFR 49.101 - 49.105] [SU-000461]*

4. Reserved – Prevention of Significant Deterioration Requirements

5. Reserved – Consent Decree Requirements

6. Reserved – Compliance Assurance Monitoring (CAM) Requirements

7. Enhanced Monitoring, Recordkeeping, and Reporting

7.1. Any documents required to be submitted under this Title V operating permit, including but not limited to, reports, test data, monitoring data, notifications, compliance certifications, fee calculation worksheets, and applications for renewals and permit modifications shall be submitted to the Tribe:

by email at: airquality@southernute-nsn.gov

or by United States Postal Service:

Part 70 Program
Environmental Programs Department
Air Quality Division

or by Common Carrier:

Part 70 Program
Environmental Programs Department
Air Quality Division

P.O. Box 737 MS #84
Ignacio, Colorado 81137

398 Ouray Drive
Ignacio, CO 81137

Section IV – Appendix

1. Inspection Information

1.1. Driving Directions:

From the intersection of CO 172 and CO 151 in Ignacio, head east on CO 151 for 6.5 miles. Turn east on SU 159 and drive 0.45 miles. Turn north and the facility is 0.8 miles on the north side of the road

1.2. Global Positioning System (GPS):

Latitude: 37.097449 °N

Longitude: -107.528288 °W

1.3. Safety Considerations:

SIMCOE recommends all visitors to the Tiffany 2 Pad wear a hard hat, safety glasses, safety footwear, hearing protection, and fire-retardant clothing